

ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

April 2025 – September 2025

For

Granite Building Stone Quarry (Minor Mineral)

of

‘M/s. Jas Granite Aggregates Pvt. Ltd.’

Extent: 9.6828 Ha

At

Sy No. : 366/1, 367/1, 367/1, 368, 369/1, 382/1,
382/2, 383/1, 383/2, 387/3, 384/1,
384/1, 382/3, 382/3, 387/2.

Village : Peringome

Taluk : Thaliparamba

District : Kannur

State : Kerala

EC File NO. 1148/EC/SEIAA/KL/2017

Dated 02/02/2018

To,

09.11.2025

The Deputy Director General of Forests (C),
MoEF, Inetgrated Regional office Kedriya Sadan,
4th Floor, E&F Wings, 17th Main Road,
Koramangala II Block, Bangalore - 560 034.

Respected Sir,

**Sub: Environmental Clearance Compliance Report for the period April 2025 -
September 2025 pertaining to 'Granite Building Stone Quarry of M/s. Jas
Granite Aggregates Pvt. Ltd.'**

Ref: Environmental Clearance No: 10/2018 Dated: 02/02/2018

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from April 2025 to September 2025 of the EC Granted to 'Granite Building Stone Quarry Project of M/s. Jas Granite Aggregates Pvt. Ltd.' by Ministry of Environmental & Forest under EPA (1986).

We received a Letter from SEIAA dated 04.07.2024 asking for preparing a detailed Compliance Report satisfying the conditions and also to provide the details of working status of the project at the earliest. The Copy of CCR from MoEF&cc is attached as Annexure – 17.

We hereby submitting the detailed Compliance Report for period from April 2025 to September 2025 and enclosed relevant Annexures in Support of the compliance report for your perusal and record. A soft copy is emailed to you for your records and review. A soft copy is emailed to you for your records and review. We hope you will find the attached Status Report in Order.

Thanking you,
Yours truly,

For 'Granite Building Stone Quarry Project of M/s. Jas Granite Aggregates Pvt. Ltd.'



Antony S Alukkal
(Managing Director)

Encl: as above

Cc: The Member Secretary
State Environment Impact Assessment Authority SEIAA)
Directorate of Environment & Climate Change
4th Floor, KSTRC Bus Terminal, Thampanoor,
Kerala-01

Introduction

Mr. Antony S. Alukkal, Managing Director of M/s. Jas Granites Aggregates Pvt. Ltd., Madakampoil, Peringome P.O., Thaliparamba Taluk, Kannur District, Kerala-670354 has been granted for a mining lease to quarry Granite Building Stone over an area of 9.6828 Ha. at Sy. Nos. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/, 387/2 at Peringome Village, Thaliparamba Taluk, Kannur District, Kerala State.

The Environmental clearance is obtained for this mining lease vide No. 1148/EC/SEIAA/KL/2017 Dated: 02/02/2018, for a maximum production of 2,81,000 MTA.

This granite building stone quarry is located at 7.0 Kms from Peringome Village in Thaliparamba Taluk. It is at a distance of 46.7 Kms by road from Kannur town. It can be reached from Mathamangalam - Peringome Road.

Description of the project

File No.		1148/EC/SEIAA/KL/2017
Name of the project		Granite Building Stone Quarry (Minor Mineral) of M/s. Jas Granite Aggregates Pvt. Ltd
District and state	:	Kannur, Kerala
Taluk / Mandal	:	Thaliparamba
Village	:	Peringome
Khasara No. / Plot No. / Block / Gate No. etc.,	:	366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3 & 387/2,
Extent of Area		9.6828 Ha
Ownership / Occupancy	:	Private Individual
Existence of public road/railway line, if any, nearby and approximate distance Nearest Port / Airport	:	The nearest railhead – Payyannur (27 Kms) and Nearest Airport – Kannur Airport (61 Kms) from the mine.
Latitude & Longitude	:	N12°11'56.19" to N12°12'13.88" E75°20'03.85" to E75°20'19.47"
Address of Registered office		Antony S. Alukkal, Managing Director, M/s. Jas Granite Aggregates Private Limited, Madakkampoyil, Peringome -Post, Kannur District, Kerala – 670 354, Ph No.: +91 9387968409.

Compliance Status of the specific conditions & General Conditions Laid down by the State Environment Impact Assessment Authority, Kerala vide their Environment Clearance No.10/2018 dated 02/02/2018 are as follows.

SPECIFIC CONDITIONS

Sl. No	Condition	Status of Compliance
1	The storm water draining from the site should be properly collected and treated. It should be either conserved properly at the site or allowed to discharge only after settling.	A comprehensive stormwater management system has been implemented, including a Garland Drain, Silt Settling Tank (SST), and Rain Water Harvesting Pond (RWHP) to control and treat surface runoff effectively. The system ensures that stormwater is either settled and reused within the site or discharged only after proper treatment. Photographic evidence of these facilities is provided as Annexure-1 .
2	The top soil and overburden should be collected and staked properly.	Topsoil and overburden are being properly collected and stacked in designated areas.
3	Road should be constructed/ modified leading to the site	The approach road to the quarry site has been properly constructed and upgraded to support safe and efficient movement of vehicles. Regular maintenance and dust suppression measures are carried out to keep the road in good condition. Photographs showing the constructed approach road are enclosed as Annexure-2 .
4	Protective fencing and signboards have to be provided around the site	The quarry site has been securely enclosed with protective fencing to maintain safety and control access. Appropriate warning and information signboards have also been installed at key locations in and around the site. Photographs of the fencing and signboards are enclosed as Annexure-3 and Annexure-4 , respectively.

5.	Benches should be provided for the proposed quarry.	Systematic benches have been developed in the quarry as per the approved mining plan to ensure safe and efficient excavation. The benches have been maintained with proper height and width ratios, ensuring slope stability and worker safety. Photographs showing the quarry benches are enclosed as Annexure-5 .
6	If any rare, endemic and threatened plant species are noticed, they shall be properly protected in situ or transplanted to a suitable site inside the lease area.	No rare or endemic and threatened plant species were present at the site.

GENERAL CONDITIONS

Sl. No	Condition	Compliance Status
1	Rainwater harvesting facility should be installed as per prevailing provisions of KMBR/KPBR, unless otherwise specified.	Rain Water Harvesting Facilities have been made and maintained properly. Photos of RWHP is attached as Annexure 1 .
2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environmental Monitoring Cell has been constituted in accordance with the commitment made in the affidavit submitted by the project proponent. The Sign Board showing the details of Environmental monitoring cell is attached as Annexure-6 .
3.	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including approach roads and internal roads.	Avenue trees have been planted along both sides of the tarred approach and internal roads, as well as around open parking areas, to enhance green cover and reduce dust and noise pollution. The saplings are regularly watered and maintained to ensure healthy growth. Photographs of the plantation along roads and parking areas are enclosed as Annexure-7 .

4	Maximum Possible Solar Energy generation and utilization shall be ensured as an essential part of the Project.	Solar Energy generation and utilization is adopted.
5	Sprinklers shall be installed and used in the Project Site to contain dust emissions.	Dust control measures at the project site include the use of mist sprayers, water sprinklers, and water tankers equipped with sprinklers. These systems are operated routinely across haul roads, loading/unloading areas, and stockpiles to minimize dust emissions and maintain ambient air quality. Photographic evidence of these dust suppression measures is provided as Annexure-9 .
6	Eco-restoration, including the Mine Closure Plan shall be done at the own cost of the Project Proponent.	Agreed. Eco-restoration, including the Mine Closure Plan will be done at the own cost.
7	At least 10 per cent of total excavated Pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of the Pit is stipulated in the EC.	During the Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with overburden and indigenous plant species will be planted.
8	Corporate Social Responsibility (CSR) agreed upon by the Proponent should be implemented.	The Corporate Social Responsibility (CSR) initiatives committed by the project proponent have been implemented in the surrounding community.
9	The Lease area will be fenced off with barbed wires to a minimum height of 4 ft around, before starting of Mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Protective fencing has been erected around the quarry site to ensure safety and prevent unauthorized access. Warning and informational signboards have been installed at strategic locations, and boundary pillars have been marked clearly to indicate the lease limits. Photographs of the fencing and signboards are enclosed as Annexure-3 and Annexure-4 , while the boundary pillar is shown in Annexure-3 .

10	Warning alarms indicating the time of Blasting (to be done at specific timings) has to be arranged as per stipulations of the Explosives department.	A signboard displaying the scheduled blasting time has been installed at the quarry site to inform workers and visitors, ensuring adherence to safety protocols. Additionally, a warning alarm system has been set up to alert personnel prior to blasting operations. Photographs of the signboard and warning alarm are enclosed as Annexure-4 and Annexure-8 , respectively.
11	Control measures on noise and vibrations prescribed by KSPCB should be implemented	<ul style="list-style-type: none"> • Noise and vibration control measures is implemented by adapting controlled blasting. • Use of sharp drilling bits, delivery of compressed air at optimal pressure. Proper maintenance of compressor, jackhammer and tipper trucks. • Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area <p>Recent Monitoring Reports are attached as Annexure-11.</p>
12	Quarrying activities should be limited To daytime as per KSPCB guidelines/specific conditions.	All quarrying operations at the site are conducted strictly during daytime hours in compliance with KSPCB guidelines and specific environmental clearance conditions. Copy of KSPCB Consent Letter is enclosed as Annexure-12 .
13	Blasting should be done in a controlled manner as specified by the regulations of the Explosives department or any other agency.	Blasting at the quarry site is carried out in a controlled and safe manner following the regulations specified by the Explosives Department. Copy of the Magazine License is enclosed as Annexure-13 .
14	A licensed person should supervise/control the blasting operations	All blasting operations at the quarry site are supervised and controlled by a licensed and trained blasting professional, as required by regulatory authorities.
15	Access road to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Access road to the Quarry is tarred to control dust emissions. Photo of the access road is attached as Annexure - 2 .

16	Overburden materials should be managed within the site and used for reclamation of Mine Pit as per Mine closure Plan/specific conditions	Overburden material is stored at the designated place and will be used for plantation, reclamation of Mine pit as per Mine closure plan/specific conditions.
17	Height of Benches should not exceed 5m and width should not be less than 5m, if there is no mention in the Mining plan/specific condition.	The quarry is being operated using a systematic benching method to ensure safe and efficient extraction. Photographs illustrating the developed benches are enclosed as Annexure-5 .
18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided	Blast mats have been deployed at the quarry site to contain fly rock and ensure that peak particle velocity (PPV) does not exceed 10 mm/s.
19	Maximum depth of Mining from general ground level at site shall not exceed 10 m	Mining operations at the quarry are being conducted in such a way that the maximum depth does not exceed 10 meters from the general ground level, in compliance with the approved plan and EC conditions.
20	No Mining operations should be carried out at places having a slope greater than 45°	No Mining operations will be carried out at places having a slope greater than 45°.
21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow bricks envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Noise level is kept within prescribed standards given by CPCB/KSPCB. Copy of consent to operate from KSPCB is enclosed as Annexure 12 .
22	The workers on the site should be provided with the required protective equipment such as ear muffs helmet, etc.	All workers at the quarry site are provided with appropriate personal protective equipment (PPE), including helmets, ear muffs, safety shoes, and high-visibility vests.
23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains with clarifiers have been constructed along the lower slopes around the core quarry area to effectively channelize and manage stormwater. Photographs of the garland drains and clarifiers are enclosed as Annexure-1 .

24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Transportation of mined materials from the quarry is carried out using covered trucks to minimize dust emissions during transit.
25	The proponent should plant trees at least 5 times the loss that has been occurred while clearing the land for the project.	Afforestation and plantation efforts are being carried out at the quarry site at a scale approximately five times the vegetation cleared during land preparation. The plantation activities are documented with photographs, enclosed as Annexure-07 , and supporting nursery receipts are provided as Annexure-15 .
26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Spent oil is sold to the approved recyclers as specified under relevant Rules/ Regulations. It is also used as a lubricant for drilling machines.
27	Explosives should be stored in magazines in isolated place specified and approved by the Explosive Department.	Explosives are stored in Magazines, which is approved by PESO. The Magazine license is enclosed as Annexure-14 . Photos of magazine is attached as Annexure-10 .
28	A minimum buffer distance of 100 M from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	No dwellings are located within 100 meters from the quarry boundary, except for the project proponent's house, which is situated at 83 meters and remains unoccupied.
29	100 M buffer distance should be maintained from forest boundaries.	Mining area is not located near to any forest areas.
30	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the Consent to operate is attached as Annexure-12 .
31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competitive authorities including that for blasting and storage of explosives.	All required statutory clearances from the concerned authorities are obtained. <ul style="list-style-type: none"> • Copy of KSPCB license attached as Anneure-12. • Copy of Magazine license attached as Annexure-13. • Copy of Panchayat license attached as Annexure-14.

32	In the case of any change(s) in the scope of the Project, extent, quantity, process of mining technology involved or in any way affecting the environment parameters/impacts as assessed, based on which only the EC is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	In case of any such changes, a fresh appraisal will be sought from the concerned Authority as required.
33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environmental Clearance under provisions of the Environment (Protection) Act,1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed.
34	The stipulations by the Statutory Authorities under different Acts and Notifications should be complied with including the provisions of the Water (Prevention and control of Pollution) Act,1974, the Air (Prevention and control of Pollution) Act1981, the Environment (Protection) Act,1986, the Public Liability (Insurance) Act,1991 and EIA Notification,2006	Agreed.

35	<p>The project proponent should advertise in at least 2 newspapers widely circulated in the region, one of which(both the advertisement and the newspaper) shall be in the vernacular language informing that the Project has been accorded Environment Clearance and the copies of the Clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same signed in all the pages should be forwarded to the Office of this Authority as confirmation</p>	<p>Advertisements were given in two local newspapers (English and Malayalam). Details were added in earlier Half Yearly compliance reports.</p>
36	<p>A copy of the clearance letter shall be sent by the proponent to the concerned Gram Panchayat/District Panchayat / Municipality/Corporation/Urban local Body and also to the Local NGO, if any from whom suggestions/representations, if any were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.</p>	<p>A copy of the Clearance is submitted to the concerned authorities. Copy of Panchayat license attached as Annexure-13.</p>
37	<p>The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective regional office of the MOEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office</p>	<p>Half yearly compliance reports are submitted as stipulated to State Environmental Impact Assessment Authority and the Regional Office of MoEF&CC, Bangalore. Also we have uploaded the status of compliance of the stipulated EC conditions, including results of monitored data in the website (https://jasgranites.in/). Certified compliance report is obtained and is attached as Annexure 17.</p>

38	The details of Environment Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times Roman font of size not less than 40. Sign board with extent of Lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public	The Environmental Clearance (EC) details are prominently displayed at the mine entrance to ensure transparency and public awareness. A photograph of the EC display board is enclosed as Annexure-16 .
39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	The project proponent has submitted a notarized affidavit confirming that all conditions stipulated in the Environmental Clearance (EC), including the EC number and date of issuance, will be strictly adhered to.
40	No change in mining technology and scope of working should be made without prior approval of the SEIAA. No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Prior approval from the SEIAA will be sought in case of change of mining technology.
41	The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	No natural water course is obstructed. Necessary safeguard measures will be taken to protect first order streams if originating from the mining lease in the future.
42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	Ambient air quality monitoring at the quarry site has been conducted regularly, and the monitoring reports are enclosed as Annexure-12 . To control fugitive dust emissions, water sprinkling is being carried out at loading, unloading, and transfer points using mist sprayers, water sprinklers, and water tankers equipped with sprinklers. Photographs of the water sprinklers in operation are enclosed as Annexure-9 .

43	<p>The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The Over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8 m and the width 20 m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo-textiles shall be undertaken for stabilization of the dump. The entire excavated area should continue until the vegetation becomes self-sustaining</p>	<p>Available topsoil is being utilized for reclamation of the quarry pits and for green belt development through plantation. Overburden (OB) is stacked separately and stabilized with locally available shrubs and grasses to prevent erosion and surface runoff. Dump dimensions are maintained within the approved limits (maximum height 8 m, width 20 m, and overall slope 45°), and geo-textiles are applied in critical areas to enhance stability. Reclamation and vegetation efforts will continue until a self-sustaining green cover is established.</p>
44	<p>Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de silted particularly after monsoons and maintained properly</p>	<p>Garland drains have been constructed to effectively channelize stormwater from the quarry site. Water collected in the Rain Water Harvesting Pond (RWHP) is utilized for dust suppression within the mine area and for green belt development. The drains are regularly desilted, especially after the monsoon season, and are properly maintained. Photographs of the garland drains, silt settling tank (SST), and RWHP are enclosed as Annexure-1.</p>
45	<p>Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.</p>	<p>Regular water sprinkling is done on all necessary points and haul roads, loading and unloading points and transfer points with Mist Sprayers and Water tankers and sprinklers. The Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board will be ensured. Photos of water Sprinklers are enclosed as Annexure - 9.</p>

46	Fugitive dust emissions from all sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and transfer points should be provided and properly maintained.	Fugitive dust emissions from all operational areas of the quarry are being controlled through regular water spraying. Water sprinklers, mist sprayers, and water tankers equipped with sprinklers are installed and maintained at haul roads, loading/unloading zones, and transfer points to ensure effective dust suppression. Photographs of the water spraying arrangements are enclosed as Annexure-9 .
47	Measures should be taken for control of noise levels below 85 dB(A) in the work environment.	Adequate measures are taken to control the noise level below 85 dB(A). Noise level of the mining lease area is monitoring frequently. Noise monitoring report is enclosed in Annexure-11 .
48	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior executive, who will report directly to the head of the Organization.	An Environment Management Cell has been set up with Mr. Antony Alukkal as the head of the Cell. Details of the Environment Monitoring Cell is prominently displayed at the site. EMC detail is attached as Annexure - 06 .
49	The funds earmarked for environment protection measures and CSR activate should be kept in a separate account and should not be diverted for other purpose. Year wise expenditure Authority (SEIAA) Office. should be reported to the State Environment Impact Assessment	The funds earmarked for environment protection measures and CSR activities will be kept in a separate account and will not be diverted for other purpose.
50	The Regional Office of MOEF and CC located in Bangalore shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the Officer(s) if the Regional Office by furnishing the requisite data/information/monitoring reports.	We will extend full cooperation to any officer(s) from the Regional Office during their visit. All required data will be provided.
51	Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Agreed.

52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986.	Agreed
53	The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of the environment protection	Agreed.
54	The above conditions shall prevail notwithstanding anything to the contrary, inconsistent or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Agreed.
55	The order is valid for a period of 5 years of the expiry date of Mine lease period issued by the Government of Kerala, whichever is earlier	Agreed.
56	The Environment Clearance will be subject to the final order of the courts in any pending litigation related to the land or the project, in any court of law.	Agreed.
57	The Mining operations shall be restricted to above ground water table and it should not intersect ground water table.	Mining operations will be restricted above the ground water table and due care will be taken so as not to intersect ground water table.
58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking center. Washing of all vehicles shall be inside the Lease area	It is ensured that all transportation vehicles have 'PUC' Certificate issued by an authorized Pollution checking center. All the vehicles will be washed inside the lease area.

59	Project proponent should obtain necessary prior permission of the competent authorities for drawl of necessary quantity of surface and ground water for the project.	There is no need for drawl of Surface and ground water for the project activities. The Rainwater Facility present at the site will be the main water source. Photos of Rainwater harvesting pond are attached as Annexure 1 .
60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA.	No perennial nallah flows through the lease or exist around the Mine Lease.
61	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance of the workers will be undertaken periodically.

For Granite Building Stone Quarry of “M/s Jas Granites Aggregates Pvt. Ltd.”



Antony S. Alukkal

(Managing Director)

Date: 09-11-2025.

Annexure- 1

**GARLAND DRAIN, RAIN WATER HARVESTING POND AND SILT
SETTLING TANK**



APPROACH ROAD



FENCING



WARNING BOARDS & SIGNBOARDS



BENCH SYSTEM



DETAILS OF ENVIRONMENTAL MONITORING CELL



JAS GRANITE AGGREGATES - PVT-LTD		
Environmental Monitoring Cell (EMC)		
Sl.No.	Post.	Name
1	Head of monitoring cell	ANTONY S ALUKKAL
2	In charge	KV SUKUMARAN
3	Member	O.V KRISHNAN
4	Member	R SIVADASAN
5	Member	JANARDHANAN T

PLANTATIONS







WARNING ALARM



WATER SPRINKLERS



MAGAZINE



MONITORING REPORTS




GLOBAL ENVIRONMENT & MINING SERVICES
 (Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
HOSPETE – 583201, Dist., Vijayanagara (Karnataka)
 Ph : +918394 355369
 e-mail : gems_hpt@yahoo.com
 Website : www.globalmining.in

GEMS-LI/TF/11/01
 Report Issue Date: 09.09.2025

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : Granite Building Stone Quarry of
 'Jas Granite Aggregates Pvt Ltd'
 Extent: 9.6828 Ha.
 : Sy. No. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2,
 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3, 387/2
 Peringene Village, Thaliparamba taluk,
 Kannur District, Kerala State.

Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler & CO Analyzer
 Month : September
 Location : Core zone area
 Monitoring station code : A1
 Duration of Monitoring : 24 Hour
 Report Number : ULR-TC161802500001090F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]		CO (1 Hour) (mg/ m ³)	
Reference method			IS : 5182:2006 (Part 23) (RF- 2017)		IS : 5182(Part 24): 2019		IS : 5182: 2001 (Part 2) (RF 2017)		IS : 5182: (Part 6) 2006 (RF 2017)		IS : 5182: (Part 10) 1999 (RF 2006)	
Date of Sampling	Date of sample received	Sample code	Result	STD	Result	STD	Result	STD	Result	STD	Result	STD
03.09.2025	05.09.2025	431	51.4	100	23.2	60	11.2	80	12.5	80	ND	4.0

Note:
 CO - GEMS/SOP/96/as per CO analyzer Manual (1 hour)
 ND - Not Detected (<0.001)

INFERENCE : As per NAAQMS Standards 2009,
 Report Status: - Measured Values for the above parameters are within the limit.



Analyzed By
 Arusha M
 Chemist



Authorized Signatory
 K. Ramakrishna Reddy
 Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is not heretofore implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Tins/boxes after analysis/Dispatch.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law. It should not contain any advertising matter without special permission in writing.
4. Total liability of our laboratory is limited to the service amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.
5. Recognized by Ministry of Environment, Forest and Climate Change for Laboratory.
6. Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey.



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in

GEMS-LD/TF/11/01

Report Issue Date: 09.09.2025

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : Granite Building Stone Quarry of
'Jas Granite Aggregates Pvt Ltd'
Extent: 9.6828 Ha.
: Sy. No. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2,
383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3, 387/2
Peringome Village, Thaliparamba taluk,
Kannur District, Kerala State.

Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler & CO Analyser
Month : September-2025
Location : **Peringome**
Monitoring station code : **A2**
Duration of Monitoring : 24 Hour
Report Number : ULR-TC161802500001091F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]		CO (1 Hour) (mg/m ³)	
Reference method			IS : 5182:2006 (Part 23) (RF- 2017)		IS : 5182(Part 24): 2019		IS : 5182: 2001 (Part 2) (RF 2017)		IS : 5182: (Part 6) 2006 (RF 2017)		IS : 5182: (Part 10) 1999 (RF 2006)	
Date of Sampling	Date of sample received	Sample code	Result	STD	Result	STD	Result	STD	Result	STD	Result	STD
04.09.2025	05.09.2025	432	52.2	100	20.4	60	11.9	80	12.5	80	ND	4.0

Note:

CO - GEMS/SOP/86/as per CO analyzer Manual (1 hour)

ND - Not Detected (<0.001)

INFERENCE	As per NAAQMS Standards 2009, Report Status: - Measured Values for the above parameters are within the limit.
-----------	--

Analyzed By
Anusha M
Chemist

Authorized Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Involvement of products is neither inferred nor implied.
- Water Samples will be destroyed after (15 days, Maximum) from the date of analysis. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of Law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the service charges. Any dispute arising out of this report is subject to Hospete jurisdiction only.
- Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES
 (Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
HOSPETE – 583201, Dist., Vijayanagara (Karnataka)
 Ph : +918394 355369
 e-mail : gems_hpt@yahoo.com
 Website : www.globalmining.in

Name of the location	Core zone	Peringome
L max	58.5	49.97
L min	32.2	36.6
L 10	34.13	37.52
L 50	44.5	48.45
L 90	56.32	53.78
Ld	53.22	51.88
Ln	37.28	38.81
Ldn	51.8	51.0
Leq	51.24	49.97

All Measured Values are in Db(A)

NOISE: (AMBIENT STANDARDS)

Area Code	Category of Area	Limit in dB(A) Leq	
		Day Time	Nighttime
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note-	Day time shall mean from 6.00 am and 10.00 pm
	Night time shall mean from in between 10.00 pm and 6.00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relatable to human being
	A "decibel" is a unit in which noise is measured
	"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

Leq: It is energy mean of the noise level over a specified period.

Authorized Signatory
 K. Ramakrishna Reddy
 Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Yieldsment of products is neither referred nor implied.
2. Waste Samples will be destroyed after 15Days, Maxrain 1 Month, Filter papers & Beadles after analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.
5. Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in

GEMS-LD/TF/2301

Report Issue Date: 09.09.2025

Analysis Report of Water Quality Data

- 1 Name of the Industry : Granite Building Stone Quarry of 'Jas Granite Aggregates Pvt Ltd'
Extent: 9.6828 Ha.
: Sy. No. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3, 387/2
Peringome Village, Thaliparamba taluk,
Kannur District, Kerala State.
- 2 Customer Reference : -
- 3 Sample Collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling procedure : GEMS-LD/SOP/32
- 6 Sample Type : Water Samples (Ground Water)
- 7 Date of sampling : 03.09.2025
- 8 Sample Received : 05.09.2025
- 9 Date of Analysis : 08.09.2025
- 10 Report Number : ULR-TC161802500001093F

Results

Sl. No.	Parameters	Protocol	Unit	Results			
				Sample Code	Standard as per IS : 10500 : 2012		
					Desirable limits	Permissible limits	
1.	Temperature	Thermometer	°C	749 GW	25.3	-	-
2.	pH	APHA 23 rd Edition 2017 4500 H-11 (Pg No. 4-95 to 4-99)	-	7.4	6.5-8.5	-	NR
3.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg No. 2-56 to 2-58)	µS/cm	288	-	-	-
4.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg No. 2-69 to 2-70)	mg/l.	194	500	2000	-
5.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg No. 2-13 to 2-15)	NTU	1.2	1	5	-
6.	Phosphorous P	APHA 23 rd Edition 2017 4500-D (Pg No. 4-163 to 4-164)	mg/l.	0.1	-	-	-
7.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	mg/l.	7.9	-	-	-
8.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg No. 3-89 to 3-90)	mg/l.	0.9	-	-	-
9.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg No. 3-69 to 3-70)	mg/l.	52	75	200	-
10.	Magnesium as Mg	APHA 23 rd Edition 2017 3500 B Mg By calculation (Pg No. 3-86)	mg/l.	16.5	30	100	-
11.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2540 C (Pg No. 2-48 to 2-50)	mg/l.	151	200	600	-
12.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl- (Pg No. 4-75 to 4-76)	mg/l.	19.1	250	1000	-
13.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ 2 (Pg No. 4-199 to 4-200)	mg/l.	69	200	400	-
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	mg/l.	0.8	1.0	1.5	-
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition - 4500 NO ₃ - II (Pg No. 4-131 to 4-132)	mg/l.	12	45	NR	-
16.	Total Alkalinity as CaCO ₃	APHA 23 rd Edition 2017 2520 B (Pg No. 2-37 to 2-39)	mg/l.	62	200	600	-

Note:

1. The result listed refers only to the tested samples & applicable parameters. Interference of products is neither inferred nor stipulated.
2. Water Samples will be destroyed after 15days, Minerals 1 Month, Filter papers & Thinbles after analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should contain any advertising matter without special permission in writing.
4. Total liability of our laboratory is limited to the service amount. Any dispute arising out of this report is subject to Bangalore jurisdiction only.
5. Recognized by Ministry of Environment, Forest and Climate Change the Laboratory
6. Recognized by Government of Karnataka, Maharashtra, Goa the DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES
 (Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
 HOSPETE – 583201, Dist., Vijayanagara (Karnataka)
 Ph : +918394 355369
 e-mail : gems_hpt@yahoo.com
 Website : www.globalmining.in

ULR-TC161802500001093F

17.	Total Iron as Fe	APHA 23 rd Edition 2017 3500 B.Fe B. (Pr. No. 3-89 to 3.82)	mg/L	0.24	0.30	NR
18.	Nickel as Ni	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.01	0.02	NR
19.	Manganese as Mn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.1	0.10	0.30
20.	Copper as Cu	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.05	0.05	1.50
21.	Zinc as Zn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.1	5	15
22.	Lead as Pb	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.01	0.01	NR
23.	Total Coliforms	IS 15185:2016	MPS/1 00ml	Ab	Shall not be detectable in any 100ml sample	-
24.	E-Coli	IS 15185:2016	MPS/1 00ml	Ab	Shall not be detectable in any 100ml sample	-

Note: GW: Peringome
 NR: No Relaxation. Ab: Absent

INFERENCE	As per Standards IS: 10500:2012 Report Status: - Measured Values for the above parameters are within the limit.
-----------	--

Analyzed By
 Anusha M
 Chemist

Authorized Signatory
 K. Ramakrishna Reddy
 Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Waste Samples will be destroyed after 15 Days. Materials 3 Months, Filter papers & Thinlines after analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.
5. Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognized by Government of Karnataka, Maharashtra, Goa for DGP's survey

CONSENT TO OPERATE - KSPCB**KERALA STATE POLLUTION CONTROL BOARD**

FILE NO. : KSPCB/KN/ICO/10054709/2024
Date of issue : 30-01-2024

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : KSPCB/KN/ICO/10054709/2024
Valid upto : 01-02-2029
Reference: Consent No : PCB/KNR/ICO-R1/58/2018 dated 08/02/2023 valid till 01/02/2024.

The Integrated Consent to Operate issued as per reference above to JAS GRANITE AGGREGATES PVT.LTD , MADAKAMPOIL, PERINGOME P.O, KANNUR - 670353 is hereby renewed up to 01-02-2029 and issued to M/sANTONY S ALUKKAL , ALUKKAL HOUSE, KURISHUPALLY ROAD, ADAT, THRISSUR, 680551 . .

The consent cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications:

VALIDITY	01/02/2029
SURVEY NUMBERS	366/101,367/105,368,369/101,383/101,383/1,387/111,384/108,384/104,382/103,387/101,382/1
ANNUAL FEE	Rs. 7100
TOTAL FEE REMITTED	Rs.36210

GENERAL CONDITIONS

1. No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the references or in the identity of the occupier / authorised agent is to be intimated to the Board forthwith.
2. The applicant shall comply with the instructions that the Board may issue from time to time

regarding prevention and control of air,water and sound pollution.

3. For renewal of the consent in case of continuance of discharge/operation of the industry, application in the prescribed form shall be submitted through the web portal of the Board www.keralapcbonline.com on or before 01.12.2028. Late application will be accepted with a fine or late fee as applicable.
4. This consent is granted based on the particulars and affidavit submitted by the Entrepreneur and any violation/non-compliance/submission of false information will lead to cancellation of consent and stringent action against the applicant and occupier.
5. This consent is granted subjected to the power of the Board to review and make variations in all or any of the conditions as per section 21 (6) of the Air Act 1981 and Section 27 of Water Act 1974.
6. All other conditions of Integrated Consent to Operate issued remain unchanged.

Digitally signed by SHIJU M A
Date: 2024.01.30 21:24:44 IST

SIGNATURE OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER

To

M/s JAS GRANITE AGGREGATES PVT.LTD
MADAKAMPOIL, PERINGOME P.O, KANNUR - 670353
E-Mail : jasgranitepvtltd@gmail.com
Contact Number :9605655902,

- 1.This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to www.keralapcbonline.com and search using Certificate Number/Name of the unit/Application Number in "Certificate Verification" link in the home page of the Board's Phoenix website.

MAGAZINE LICENSE

भारत सरकार | Government of India
 वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
 पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो) | Petroleum & Explosives Safety Organisation (PESO)
 पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
 केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
 CSEZ पी.ओ. कक्काण्ड कोव्वी | CSEZ PO Kakkandur Dist. Ernakulam Ernakulam 682037
 फ़ोन (Phone)- 2427286 | फ़ैक्स (Fax)- 2427276
 ई-मेल Email. dyrcsoochin@explosives.gov.in

संख्या (No.): ESC/KL/22/1568(E55061)

दिनांक (Date): 27/03/2023

सेवा में | To,

Sh. Antony Sam Abakkal Managing Director,
 M/s. Jan Granite Aggregates (P) Ltd, Madakkampoyil P.O., Peringom, Town Village - Madakkampoyil
 District-KANNUR, State-Kerala, Pincode - 670354

विषय: Survey No.R.S.No.384/3, ग्राम Peringome village, Taliparamba Taluk, Kannur Dist., जिला KANNUR, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुमति सं E/SC/KL/22/1568(E55061) के नवीनीकरण संदर्भ में।
 Subject: Possession for Use of Explosives from magazine situated at Survey No./R.S.No.384/3, Peringome village, Taliparamba Taluk, Kannur Dist., Dist. KANNUR, Kerala - Licence No.: E/SC/KL/22/1568(E55061) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding
 सहोदय | Sr.

आपका उपरोक्त विषय पर पात्र संख्या 84912 दिनांक 24/03/2023 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्रारूप LE-3 में जारी अनुमति दिनांक 31/03/2028 तक नवीनीकृत कर इस पर के साथ भेजी जा रही है।

Reference to your letter No.: 84912 dated: 24/03/2023, the subject licence duly renewed upto 31/03/2028 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

अनुमति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2028 से पहले इस कार्यालय को भेजे जाएं।

For further renewal of licence, please submit the following documents so as to reach this office on or before 31/03/2028.

- प्रारूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पांच वर्ष के अनुमति शुल्कों का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से हाइनेस शुल्क ऑनलाइन जमा किया जाता है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुमति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आगुतिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए (अतिरिक्तवादी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office (Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विक्रमी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाए। विक्रमों द्वारा कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (अतिरिक्तवादी गोदाम के लिए लागू नहीं)। Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter (Not applicable for fireworks store house)
- सभी ब्लास्टिंग ऑपरेशन एक सदस्य द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खनन अधिनियम 1952 के अधीन आने वाले खनन में ब्लास्टिंग ऑपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।
All Blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Your's faithfully

(एस. सरवणन | S Saravanan)

विस्फोटक नियंत्रक | Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

कोव्वी | Ernakulam

प्रतिरिपि प्रेषित | Copy Forwarded to:

1. जिले मजिस्ट्रेट (District Magistrate), KANNUR (Kerala)- सूचना के लिए (for information.)

कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives,
कोव्वी | Ernakulam

(अधिक जानकारी के लिए आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें।)
 (For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

अनुज्ञापि प्ररूप एत. ई-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञापि
Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञापि सं. (Licence No.) : E/SC/KL/22/1568(E55061)
वार्षिक फीस रूपए (Annual Fee Rs) : 2400/-

I. Licence is hereby granted to

Sh. Antony Sani Alukkal Managing Director (अधिभोगी / Occupier : Sh. Antony Sani Alukkal, Managing Director), M/s. Jas Granite
Aggregates (P) Ltd., Madakkampoyil P.O., Peringonnie, Town/Village - Madakkampoyil, District-KANNUR, State-Kerala, Pincode -
670354



को अनुज्ञापि अनुदत्त की जाती है।

2. अनुज्ञापिधारी की प्रास्थिति | Status of licensee : Company

3. अनुज्ञापि निम्नलिखित प्रयोजनों के लिए विधिमाम्य है।
Licence is valid only for the following purpose

possess for use of Nitrate Mixture, Safety Fuse, Detonators, - के
उपयोग के लिए

4. अनुज्ञापि विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमाम्य है।
Licence is valid for the following kinds and quantity of explosives: - (क) (a)

Licence is valid for the following kinds and quantity of explosives: - (क) (a)

क्र Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	150 Kg
2.	Safety Fuse	6,1	0	1500 Mtrs
3.	Detonators	6,3	0	3000 Nos.

(ख) किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा | अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञापि के लिए।
(b) Quantity of explosives to be purchased in a calendar month applicable for licence under article 3(b) and (c) :

26 times
as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञापि परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing(s).

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1568(E55061)
दिनांक (Dated) 10/06/2013

6. अनुज्ञापि परिसर निम्नलिखित पते पर स्थित है। The licensed premises are situated at following address:
Survey No. R.S.No.384D, ग्राम (Town/Village) : Peringonne village, Taluquar of Taluk, Kannur Distr

जिला (District) KANNUR राज्य (State) Kerala पिनकोड (Pincode) 670354

दूरभाष (Phone)

ई.मेल (E-Mail)

फैक्स (Fax)

7. अनुज्ञापि परिसर में निम्नलिखित सुविधाएं अंतर्निहित हैं।
The licensed premises consist of following facilities.

two mnl magazines of stone masonry construction

8. अनुज्ञापि समय - समय पर प्थासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में प्था कथित रेखाचित्र (स्थान, संनिर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञापि प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञापि की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञापि तारीख 31 मार्च 2018 तक विधिमाम्य रहेगी। This licence shall remain valid till 31st day of March 2018.

यह अनुज्ञापि, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VIA के अधीन तथा उपवर्णित इस अनुज्ञापि की शर्तों का अधिकमण करने या यदि अनुज्ञापि परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निरंकित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 10/06/2013

Sd/-
संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 19/02/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 19/02/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 24/12/2018

Transfers :

- Change in Licensee Name/Address/Status dated : 05/02/2018

नवीनीकरण के पृष्ठकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
27/03/2023	31/03/2028	Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गतत ढंग से चताने या उनका दुरुस्पयोग विधि के अधीन गंभीर दाहिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Digitally signed by S. SARAVANAN
Reason: Licence No : E/SC/KL/22/1568
Location Ernakulam [E55061]

(सेट VIII) (Set VIII)

मैगजीन में वर्ग 1, 2, 3, 4, 5, 6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्रत्येक ए.ई. 3 (अनुच्छेद 3 (ख) से (ग)) में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञापत्र सं. E/SC/KL/22/1568 (E/SS061) की शर्तों निम्नलिखित हैं।
The following are the conditions of licence number E/SC/KL/22/1568 (E/SS061) for purposes for sale or use, explosives of Class 1, 2, 3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापत्र योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञापत्र के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञापत्र में विनिर्दिष्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तोलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक तालाक या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके - परंतु -
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योनिज) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पदीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रकट पदीते, जिनमें कोई खुला तोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थान के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रकट अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description of explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other. Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योनिज) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापत्र प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योनिज) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राय कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शाते की गई हो और ऐसे प्रमाणपत्र के अनुज्ञापत्रिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लिसरीन या द्रव नाइट्रो योनिज के निकल जाने के विन्द प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञापत्रिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचे, शेल्फ और उसकी फिटिंग का दृश प्रकार सन्निर्माण किया जाएगा या उन्हें दृश प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचे, शेल्फ और फिटिंग घासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बावत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे। परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाधकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean, and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from. Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञापत्रिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञापत्रिधारी द्वारा पञ्चाल्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता।
परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के लिए गए सभी परीक्षणों के लिए प्रभावी होगा।
परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।
If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory. Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day.
- Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.
- उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेवना या अन्यथा अथवा ऐसे किसी साधनों द्वारा इस बावत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कुत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो।
परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपरज्वन को लागू होता है, ऐसे किसी भवन के संबंध में बाध कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।
Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire. Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion. Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुज्ञापिधारी प्ररूप आर ई-3 आर ई-4 या आर ई-5, जेसी रिधाते हा, म सभो विस्फोटको का अभिलेस और लंखा रलखा और विस्फोटक नियम, 2008 क अधीन प्ररूपकृता किली भी अधिकारी के समक्ष उसके व्दारा ऐसा करने की माग की जाने पर स्टाक पुस्तक और अभिलेस प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी ।
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिसरो में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किली शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करे ।
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैगजीन सभो समय पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हातत में बनाई रखी जाएगी) । यदि किली कारणवश किली विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा ।
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
14. मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
15. यदि सुरक्षा दूरी का कोई अधिकरण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी ।
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
16. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
17. विस्फोटको के पैकेटों के वृद्धे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभो पैकेजों की हातत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके ।
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
18. तडित चालको की भूमि के लिए प्रतिरोध यथासभव न्यूनतम होगा और किली भी दशा में 10 ओह्म से अधिक नहीं होगा ।
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
19. मैगजीन के चारो ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क पास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी ।
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
20. विस्फोटको के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी ।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
21. किली मैगजीन / भण्डारगृह में किली एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा ।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
22. विस्फोटको के खाली पैकेजों को शीघ्रतरी वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा ।
Empty packages of the explosives shall be removed at the earliest and destroyed.
23. अनुज्ञापिधारी और कर्मचारी को परिसर के भीतर आपदाकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए ।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
24. निरीक्षण या नमूना अधिकारी को सभो मुक्तियुक्त समय पर अनुज्ञापन परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्त अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी ।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
25. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारक को अनुज्ञापन परिसरो या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्तन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा ।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the licence shall execute the recommendations and report compliance within the period specified by such authority.
26. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञापन फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पत्तीते खरीदेगा ।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
27. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी बी (ए) या 145 डी बी (सी) के प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग₁₀(N) डी बी (सी) पी के प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log₁₀(N) dB, where N = number of crackers joined together.
28. आग या विस्फोट व्दारा दुर्घटना या नुकसान पटाखों की कमी या घोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी ।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञापिधारी विदेशी मूल के आतिशबाजी को न प्रदर्शित करेगा, न रखेगा और न ही उसकी बिक्री करेगा । The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कुते संपुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
दक्षिणावत, चेन्नै | South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1568(E55061) in form LE-3 granted to Sh. Antony Sani Alukkal Managing Director, M/s. Jas Granite Aggregates (P) Ltd., Madakkampoyil P.O., Peringome, Kerala-670354.

Type of Structure(s)		Safety distances meters	
Inside Safety Distances(ISD)		M	UM
1	Room or Workshop used in Connection with the Magazine	13	19
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
Middle Safety Distances(MSD)			
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road	40	
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation		
Outside Safety Distances(OSD)			
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives	45	
20	Aerodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
Overhead Electric lines			
27	Electric Power over head Transmission Lines above 440V	45	
28	Electric Power over head Transmission Lines upto 440V	15	

The Date : 10/06/2013

For Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 19/02/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 19/02/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 24/12/2018

Transfers :

- Change in Licensee Name/Address/Status dated : 05/02/2018

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

PANCHAYAT LICENSE

File ref.No. 9472



പെരിങ്ങോം വയലം ഗ്രാമപഞ്ചായത്തിൽ നിന്നും
1994ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും
അതേ തുടർനിയമങ്ങളും അനുസരിച്ച്
ഹാജൂറികൾ, വ്യവഹാരങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന
ലൈസൻസ്

നമ്പർ : 85/467/2024. 61 തീയതി : 23/03/2024

ലൈസൻസിന്മേൽ പേരും മേൽവിലാസവും	ആന്റണി എസ് ആലുക്കൽ, മാനേജിംഗ് ഡയറക്ടർ, ജാസ് ഗ്രാമനെറ്റ് അഗ്രിഗേറ്റ്സ് പ്രൈവറ്റ് ലിമിറ്റഡ്, മടക്കാംപൊയിൽ, പെരിങ്ങോം പി 8	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	ജാസ് ഗ്രാമനെറ്റ് അഗ്രിഗേറ്റ്സ് പ്രൈവറ്റ് ലിമിറ്റഡ് / മടക്കാംപൊയിൽ	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	75 HP ഉപയോഗിച്ച് കരിങ്കൽ ക്വാറി നടത്തുന്നതിന്	
കേന്ദ്രത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	പെരിങ്ങോം വില്ലേജ് റി.സ. നമ്പർ 366/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 382/3, 387/2	
ലൈസൻസ് കാലാവധി	01/04/2024 മുതൽ 31/03/2028 വരെ	
ഇനടാക്കിയ ലൈസൻസ് ഫീസ്	60000 /- രൂപ	സീൽ നം: 1230602528 തീയതി: 19/03/2024
മൊഴിയിടക്കം	10000 /- രൂപ	സീൽ നം: 1230602528 തീയതി: 19/03/2024
ലൈസൻസ് അനുബന്ധമെന്നതിനായി ഹാജരാക്കിയ നിരാശ്ചേഷ്ടപത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലാവധി, നൽകിയ അധികാരസ്ഥാനം)	<ol style="list-style-type: none"> 1. മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുള്ള അനുമതി ... (കാലാവധി 01/02/2029 വരെ) 2. എക്സിക്യൂട്ടീവ് ലൈസൻസ്... (കാലാവധി 31/03/2028 വരെ) 3. മെനിംഗ് & മിന്റോളജി വകുപ്പിൽ നിന്നുള്ള അനുമതി ... (കാലാവധി 28/02/2030 വരെ) 4. SEIAA അനുമതി ..(01/02/2023 ൽ അനുസരിച്ചത് കേന്ദ്ര പരിസ്ഥിതി കുറ്റാലോചനയിൽ 12/04/2022 ലെ നോട്ടീഫിക്കേഷൻ പ്രകാരം ജിന്റോളജി വകുപ്പിൽനിന്നു ലീസ് കാലാവധി വരെ) 	

Digitally signed by TUS P
Date: 2024.03.23 18:10 IST

പെരിങ്ങോം വയലം ഗ്രാമപഞ്ചായത്ത്

മൈസൂരിന് താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

1. കെട്ടിടങ്ങൾക്ക് ഓഫ് ആഫ് അറ്റാച്ച്മെന്റുള്ള ഏതെങ്കിലും മൈസൂരിൽ പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. മൈസൂരിനടിയിലെ അനിയന്ത്രിത സാധനങ്ങളിലെ അധികാരികൾക്കോ / സെക്രട്ടറി അധികാരമുള്ളതായ മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് മൈസൂരിയിലെ മറ്റ് മാനദണ്ഡങ്ങൾ അനുസരിച്ചുള്ള അധികാരികൾക്ക് ഈ മൈസൂരിന് കാനിക്ലേഷൻ ഉണ്ടാകുന്നു.
3. ഏതു സമയത്തിലും ഓരോ മൈസൂരിന് അധികാരികൾക്കോ മറ്റു സമയത്ത് ഏതെങ്കിലും കാരണങ്ങൾ മൂലമുള്ള ഒരു മൈസൂരി മൈസൂരിൽ പെട്ടെന്ന് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
4. പെട്ടെന്ന് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു. മറ്റാരുടെയും മറ്റ് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
5. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
6. ഏതെങ്കിലും മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
7. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
8. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
9. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
10. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
11. ഏതെങ്കിലും മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
12. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
13. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
14. 20 മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
15. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
16. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
17. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
18. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
19. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
20. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.
- 21.

(ഒപ്പ്)
സെക്രട്ടറി
മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.

18 ഈ മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു. മൈസൂരിയ്ക്ക് മൈസൂരിയ്ക്ക് തിരിച്ചു കൊടുക്കേണ്ടതാകുന്നു.

NURSERY RECEIPTS

GSTIN : 32JFOP5833K12N Ph: 9486 24 45222
34 47777
97444 77778
95444 77779

AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018

Sl No: **62** Date of Issue: **15-08-2023**

Name: **Dr. SHANMUGA KODUREGAI S MATHI**
Address: **PERINDOMI, VAYAKKATA
KANNUR - 670 324**

GSTIN & State code

S/N	Particulars	Rate	Qty	Value
	METHAMEN	60	150	9000
	BAM 800	150	30000	
Total				39,000
Discount				-
Total				39,000

Total bill amount in words: **Thirty Nine Thousand & 00/100**

Confirmed that the particulars given above are true and correct

Customer Signature: *[Signature]*
Authorized Signatory: *[Signature]*

GSTIN : 32JFOP5833K12N Ph: 9486 24 45222
34 47777
97444 77778
95444 77779

AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018

Sl No: **61** Invoice/Credit/Cash Bill Date: **16/07/2023**

Name: **Jas. Ganesh Aggarwal Pvt. Ltd., Periyar, CHEL**

No.	Particulars	Rate	Qty	Amount
	Sandali (kg)	200	100	20,000
	Red Simula (..)	140	50	7,000
	Mahaganai (..)	50	50	7,500
	Enclon (..)	80	80	6,400
	Asakka (..)	150	50	7,500
Total				50,400

Total bill amount in words: **Fifty Thousand Four Hundred & 40/100**

Confirmed that the particulars given above are true and correct

Customer Signature: *[Signature]*
Authorized Signatory: *[Signature]*

GSTIN : 32JFOP5833K12N Ph: 9486 24 45222
34 47777
97444 77778
95444 77779

AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018

Sl No: **95** Date of Issue: **14/09/2023**

Name: **Jas. Ganesh Aggarwal Pvt. Ltd., Periyar, CHEL**

S/N	Particulars	Rate	Qty	Value
1	BAMBOO 20x10 200	600	20000	
Total				1,20,000
Discount				-
Total				1,20,000

Total bill amount in words: **One Lakh Twenty Thousand & 00/100**

Confirmed that the particulars given above are true and correct

Customer Signature: *[Signature]*
Authorized Signatory: *[Signature]*

GSTIN : 32JFOP5833K12N Ph: 9486 24 45222
34 47777
97444 77778
95444 77779

AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018
AGRIHALI 1523018

Sl No: **64** Invoice/Credit/Cash Bill Date: **11-06-2023**

Name: **Jas. Ganesh Aggarwal Pvt. Ltd., Periyar, CHEL**

No.	Particulars	Rate	Qty	Amount
	Red Simula (kg)	120	150	18,000
	Mahaganai (..)	100	125	25,000
	Enclon (..)	80	200	16,000
	Asakka (..)	150	200	30,000
	Bam 20x10 (20x10)	50	200	10,000
Total				1,00,000

Total bill amount in words: **One Lakh & 00/100**

Confirmed that the particulars given above are true and correct

Customer Signature: *[Signature]*
Authorized Signatory: *[Signature]*

GSTIN - 32/FQPSS33K12N Ph: 9496 24 4322
24 4777
97444 7777
95444 7777

www.cocobidi.com
www.cocobidi.com

श्री. जयशंकर अग्रवाल एग्रीकल्चरल प्रोड्यूसर्स
श्री. जयशंकर अग्रवाल एग्रीकल्चरल प्रोड्यूसर्स

SI No: **59** Date of Issue: **15/07/2019**

Name: **श्री. जयशंकर अग्रवाल एग्रीकल्चरल प्रोड्यूसर्स**
Address: **सिन्धु, प्रतापगढ़, च.न.र.**

GSTIN & State code

SI No.	Particulars	Rate	Qty	Value
1	Bam 200 row 2	200	500	100000
Total				100000
Discount				-
Total				100000

Total bill amount in words: **One lakh Rupees only**

Certified that the particulars given above are true and correct.
For: **Shree Nursery**
Authorized Signatory

GSTIN - 32/FQPSS33K12N Ph: 9496 24 4322
24 4777
97444 7777
95444 7777

www.cocobidi.com
www.cocobidi.com

श्री. जयशंकर अग्रवाल एग्रीकल्चरल प्रोड्यूसर्स
श्री. जयशंकर अग्रवाल एग्रीकल्चरल प्रोड्यूसर्स

SI No: **75** Date of Issue: **10/07/2019**

Name: **JAS Greater agglates put**
Address: **LIT Penanginan C.N.R**

GSTIN & State code

SI No.	Particulars	Rate	Qty	Value
1	Bambao 10x14	200	700	140000
Total				140000
Discount				-
Total				140000

Total bill amount in words: **One lakh Fourteen thousand Rupees only**

Certified that the particulars given above are true and correct.
For: **Shree Nursery**
Authorized Signatory

BOARD DISPLAYING EC DETAILS



CERTIFIED COMPLIANCE REPORT



भारत सरकार / GOVERNMENT OF INDIA

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय / MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE
क्षेत्रीय कार्यालय, बेंगलुरु / REGIONAL OFFICE, BENGALURU

4th Floor, E & F- Wings, Kendriya Sadan, 17th Main Road,
II Block, Koramangala, Bengaluru- 560 034

File No. EP/12.1/2017-18/57/SEIAA/KER 357

14.10.2024

To
The Member Secretary
STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA) KERALA
K.S.R.T.C Bus Terminal Complex, 4th Floor, Thampanoor,
Thiruvananthapuram - 695 001


Sub: Environmental Clearance for proposed quarry project at Peringome Village, Thaliparamba Taluk, Kannur District, Kerala by Mr. Antony S Alukkal, Managing Director, M/s. Jas Granites Aggregates Pvt. Ltd.-reg.

Ref: The SEIAA Kerala EC No. 1148/EC/SEIAA/KL/2017 dated 02.02.2018


Sir,

This has reference to subject matter. The SEIAA, Kerala vide letter dated 02.02.2018 granted environmental clearance quarry project of Mr. Antony S Alukkal, Managing Director, M/s. Jas Granites Aggregates Pvt. Ltd located at Peringome Village, Thaliparamba Taluk, Kannur District, Kerala. The project was inspected by the undersigned on 18.09.2024. The inspection report is enclosed herewith. This issues with the approval of competent authority.

Yours faithfully


Suresh Kumar Adapa
Scientist 'E'

✓ Copy to: M/s. Jas Granites Aggregates Pvt. Ltd., Peringome Village, Thaliparamba Taluk, Kannur District, Kerala


Suresh Kumar Adapa
Scientist 'E'

GOVERNMENT OF INDIA
Ministry of Environment, Forest & Climate Change
(Regional Office, Southern Zone)
Bangalore-560 034
INSPECTION REPORT

E-File No. EP/12.1/2017-18/57/SEIAA/KER

1	Name of the project	Environmental Clearance for proposed quarry project at Peringome Village, Thalparamba Taluk, Kannur District, Kerala by Mr. Antony S Alukkal, Managing Director, M/s. Jas Granites Aggregates Pvt. Ltd.
2	Environmental Clearance Details	EC No. 1148/EC/SEIAA/KL/2017 dated 02.02.2018
3	Location: District & State / UT	Peringome Village, Thalparamba Taluk, Kannur District, Kerala
4	Address for correspondence:	Mr. Antony S Alukkal, Managing Director, M/s. Jas Granites Aggregates Pvt. Ltd., Peringome Village, Thalparamba Taluk, Kannur District, Kerala
5	Date of site visit for this report	18.09.2024

BRIEF ON THE PROJECT ALONG WITH THE PRESENT STATUS:

The SEIAA, Kerala vide letter number 1148/EC/SEIAA/KL/2017 dated 02.02.2018 granted environmental clearance for the building stone quarry over an area of 9.6828 ha. in Peringome Village, Thalparambha Taluk, Kannur District, Kerala. The area of the quarry is 9.6828 ha. The quarry is located on private own land and no forest land is involved in the quarry area. The project was considered under random monitoring and inspected on 18.09.2024. During the site inspection, it was observed that the environmental clearance was valid for 5 years. With one year zero period granted by Ministry w.r.t. Covid period, the validity of EC expired on 01.02.2024.

The High Court of Kerala, Ernakulam Bench vide order dated 16.03.2023 directed the Geologist, Department of Mining & Geology to issue Movement Permit to the Petitioner under Rule 25 of the Kerala Minerals Prevention of Illegal Mining, Storage and Transportation) Rules, 2015, extending the benefit of the notification under S.O.No.1807(E) dated 12.04.2022 of the Ministry of Environment, Forest and Climate Change, provisionally and pending further orders in the writ petition.

The Ministry vide notification dated 12.04.2022 amended the validity clause of environmental clearance issued for mining projects as per the following:

"The prior Environmental Clearance granted for mining projects shall be valid for the project life as laid down in the mining plan approved and renewed by competent authority, from time to time, subject to a maximum of thirty years, whichever is earlier".

A. Anand Kumar



As per the approved (by the Department of Mining & Geology, Kannur District vide letter dated 18.07.2017) mining plan, the life of project is for 12 years.

It was also observed that PP obtained following permissions from different statutory authorities:


- The Kerala State Pollution Control Board (KSPCB) granted consent to operate vide letter no. KSPCB/KN/ICO/10054709/2024 dated 31.01.2024 with validity up to 01.02.2029.
- The Petroleum Explosive Safety Organization (PESO) granted license for explosives storage vide letter no. E/SC/KL/22/1568(E55061) dated 27.03.2023 and the same is valid up to 31.03.2028.
- The Gram Panchayat, Peringome-Vayakara granted license for the project vide letter dated 01.04.2024 and the same is valid upto 31.03.2028.
- The Department of Mining & Geology, Kannur executed the lease deed on 01.03.2018 and the lease period is upto 28.02.2030.
- The Department of Mining & Geology, Kannur approved the mining plan vide dated 18.07.2017. The scheme of mining for the period from 2023-24 to 2027-28 was approved vide dated 25.03.2024.

The inspection report is prepared based on the physical verification of the project site as on 18.09.2024 and documents submitted by project proponent. The compliance status (as on 18.09.2024) of conditions stipulated in environmental clearance is as follows:

Specific Conditions:

S.No.	Condition	Compliance Status
1.	<p>The storm water draining from the site should be properly collected and treated. It should be either conserved properly at the site or allowed to discharge only after settling.</p> 	<p>Complying with.</p> <p>During the site inspection, it was observed that drains were provided for collection of rain water. The collected water is utilised for quarry operations.</p> 

A. Anand Kumar

2.	<p>The top soil and overburden should be collected and stacked properly.</p> 	<p>Complying with. During the site inspection, no active waste dump or top soil dump was observed. The old waste dump was observed to be stabilised.</p>
3.	<p>Road should be constructed/modified leading to the site.</p> 	<p>Complying with. During the site inspection, it was observed that the approach road to project from the main road is tarred.</p>
4.	<p>Protective fencing and sign boards have to be provided around the site.</p> 	<p>Complying with. During the site inspection, it was observed that barbed wire fencing was provided. It was also observed that sign boards were provided.</p> 
5.	<p>Benches should be provided for the proposed quarry.</p> 	<p>Complying with. During the site inspection, it was observed that benches were formed in the quarry.</p>
6.	<p>If rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area.</p>	<p>PP agreed upon. As per the environmental clearance, there were no endangered species were found</p>


A. hunda

		<p>at the project site. PP provided a dedicated area for the plantation</p> 
--	--	--


General Conditions:

S.No.	Condition	Compliance Status
1.	<p>Rain Water Harvesting facility shall be installed as per the prevailing provisions of KBMR/KPBR, unless otherwise specified.</p>	<p>Complying with. During the site inspection, it was observed that 3 pits (total approximate storage capacity of 611.36 cu.m.) were provided for collection of the rain water.</p>
2.	<p>Environment Monitoring cell as agreed under the affidavit filed by the proponent should be formed and made functional.</p> 	<p>Complying with. Based on the information provided, it was observed that environment management cell is established. The meetings are carried out once in 3 months. It was also observed that PP is taking the guidance of NABET accredited consultancy for compliance of EC conditions.</p>
3.	<p>Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.</p>  	<p>Complying with. During the site inspection, it was observed that plantation was carried out in the open areas, road side, office building, passive dump area, buffer zone, etc.</p> 

A. Anand (A)

		<p>As per the information provided, plantation of 3455 number of saplings was carried out over an area of 2.3 ha.</p>
<p>4.</p>	<p>Maximum possible solar energy generation and utilisation shall be ensured as an essential part of the project.</p>	<p>Complying with. During the site inspection, it was observed that solar panels of 3 KW were provided at the office area.</p> 
<p>5.</p>	<p>Sprinklers shall be installed and used in the project site to prevent dust emissions.</p> 	<p>Complying with. During the site inspection, it was observed that mist spray sprinkler system was provided at the project site for controlling the fugitive emissions.</p> 
<p>6.</p>	<p>Eco-restoration including mine closure plan shall be done at own cost of the project proponent.</p>	<p>PP agreed to comply with. The condition pertains to quarry closure stage. As per the mining</p>
<p>7.</p>	<p>At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition</p>	<p>plan, the life of mine is 12 years. PP submitted that the eco restoration (water body, plantation, etc.) will be carried out as per closure plan, once the reserves of the quarry are exhausted.</p>

A. Anand (Cm)

	on reclamation of pit is stipulated in the EC.	
8.	<p>Corporate Social Responsibility (CSR) agreed upon by the proponent shall be complied with.</p>   <p><i>I certify that the above particulars are true to my knowledge and belief.</i></p>	<p>Complying with.</p> <p>Based on the information provided, it was observed that PP is doing donations (for medical, house repair, education, etc.) to the needy persons living in Peringome Vayakara Gram Panchayat. As per the environmental clearance, PP shall spend Rs.50 lakhs for CSR activities. As per the information (certified by the President Peringome Vayakara Gram Panchayat) provided by PP an expenditure of Rs. 105 lakhs was made towards CSR activities.</p>
9.	<p>The lease area shall be fenced off with barbed wires to a minimum height of 4 ft around, before starting of mining. All the boundary indicators (boards, stones, markings, etc.) shall be provided at all times and shall be conspicuous.</p>	<p>Compliance is already provided under specific condition no.4.</p>
10.	<p>Warning alarms including the time of the blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.</p>  	<p>Complying with.</p> <p>During the site inspection, it was observed that people are alerted about the blasting using sirens. As per the information provided, blasting is carried out in the morning and evening.</p>




A. Lakshmi

11.	Control measures on noise and vibration as prescribed by KSPCB should be implemented.	<p>Complying with.</p> <p>Based on the information provided, it was observed that controlled blasting using NONEL delay detonators is practiced. The noise levels were monitored through MoEF&CC recognised laboratory. As per the monitoring data (December 2023), the noise levels found to be 52.16 dB(A) and 40.17 dB(A) during day and night times.</p>
12.	<p>Quarrying activities should be limited to day time as per KSPCB guidelines.</p> 	<p>Complying with.</p> <p>During the site inspection, it was observed that the quarry is operated in general shift (day time). PP installed a display board showing the quarry operation timings from 07:00 AM to 05:30 PM.</p>
13.	Blasting should be done in a controlled manner as specified by the regulations of Explosive Department or any other concerned agency.	<p>Complying with.</p> <p>During the site inspection, it was observed that PP practiced controlled blasting using NONEL delay detonators. The explosive register is maintained at the project site and it is regularly monitored by the State Police Department. Blasting mats were also provided at the project site to arrest the fly rocks.</p>
14.	A licensed person should supervise/control the blasting operations.	<p>Complying with.</p> <p>During the site inspection, it was observed that the project employed 2nd class mines manager, fore man and mining mate for supervising the overall quarry operations.</p>


A. K. Kulkarni

15.	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of minerals.	Compliance to this condition is already provided under specific condition no. 3.
16.	Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/specific conditions. No wet lands/paddy lands or water bodies shall be filled.	PP agreed to comply with. No active waste dump was observed during the site inspection. The old dump was stabilised with plantation.
17.	Height of the benches should not exceed 5m, width should not be less than 5m, if there is no mention in the mining plan/specific condition.	Complying with. During the site inspection, it was observed that quarrying operations were carried out by bench formation. The height and width found to be adequate.
18.	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided. 	Complying with. During the site inspection, it was observed that PP practiced controlled blasting. The peak particle velocity was monitored through MoEF&CC recognised laboratory during December 2022. The velocity of the particles was observed to be 0.993 mm/sec.
19.	Maximum depth of mining from general ground level at site shall not exceed 10m. 	Complying with. During the site inspection, it was observed that the quarry is located in hillock. As per the information provided the current working depth is 100m AMSL. The general ground level at the foot of the hill is 59m AMSL. The current working depth is at higher elevation than the general ground level.
20.	No mining operations shall be carried out at places having a slope greater than 45°.	Complying with. During the site inspection, it was observed that quarry is operated

A. [Signature]

		<p>with bench formation. No mining was observed at locations with slope more than 45°.</p>
<p>21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.</p>		<p>Complying with. During the site inspection, it was observed that major noise generating sources are equipment like drilling machine, loader/shovel, etc. Acoustic enclosure for individual equipment is not feasible as the equipment are mobile. The sound levels from the quarry to nearby habitations can be reduced only through plantation as buffer. Plantation was developed along the lease boundary and open areas of the quarry. Crusher is provided with enclosure for the abatement of dust and noise from the operation.</p>
<p>22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.</p>		<p>Complying with. During the site inspection, it was observed that workers were provided with safety shoe and helmet.</p>
<p>23. Garland drains with clarifiers to be provided in the lower slopes around core area to channelize the storm water.</p>		<p>Complying with. During the site inspection, it was observed that garland drains were provided with silt traps. It was also observed that surface run off is collected in the RWH pits through the drains.</p>

A. Lakshmi

		
24.	<p>The transportation of minerals should be done in covered trucks to contain dust emissions.</p> 	<p>Complying with. During the site inspection, it was observed that material being transported is covered with cloth.</p>
25.	<p>The proponent should plant trees at least 5 times the loss that has been occurred while clearing the land for the project.</p>	<p>Compliance to this condition is provided under specific condition no. 5.</p>
26.	<p>Disposal of spent oil from diesel engines should be as specified under relevant rules/regulations.</p> 	<p>Complying with. During the site inspection, it was observed that spent oil of quantity 5.2 KL of used oil was sold to KSPCB authorised vendor in July 2023. The spent oil generated was stored in barrels at the site.</p> 
27.	<p>Explosives should be stored in magazines in isolated place specified and approved by Explosive Department.</p> 	<p>Complying with. During the site inspection, it was observed that explosives are stored in an enclosed location. The PESO granted license for the storage of explosives.</p>

A. huda car

28.	<p>A minimum buffer distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structures not being any facility for mining shall be provided.</p> 	<p>Complied. Based on the google imagery, nearest habitation is located beyond 100 meters from the quarry.</p>
29.	<p>100 m buffer distance should be maintained from forest boundaries.</p> 	<p>Complied. As per the toposheet, the nearest forest area is Eleri RF, is located at a distance of 7.5 kms from the project.</p>
30.	<p>Consent from Kerala State Pollution Control Board underwater and air act(s) should be obtained before initiating mining activity.</p>	<p>Complying with. During the site inspection, it was observed that PP obtained environmental clearance, consent to operate, explosive storage permission and panchayat license.</p>
31.	<p>All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent Authorities including that for blasting and storage of explosives.</p>	
32.	<p>In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters /impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.</p>	<p>PP agreed upon.</p>

A. hanku

33.	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	PP agreed upon.
34.	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Complying with. During the site inspection, it was observed that PP obtained consent to operate under Air & Water Acts. The project obtained environmental clearance as per EIA Notification 2006.
35.	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority.	Complied. Based on the information provided, it was observed that advertisement was made in newspapers dated 04.03.2018 & 07.03.2018.
36.	A copy of the clearance letter shall be sent by the proponent to concerned Grama	Complying with.


A. Sankar

	<p>Panchayat District Panchayat/ Municipality /Corporation /Urban Local Body and also to the Local NGO, if any, from whom suggestions representations, if any, were received while processing the proposal. Environmental Clearance shall also be put on the website of the company by the proponent.</p>	<p>During the site inspection, it was observed that the project submitted a copy of EC to Peringome Vayakara Gram Panchayat. It was also observed that copies of EC and six-monthly compliance report were uploaded to project website.</p> 
37.	<p>The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt of India and also to the State Environment Impact Assessment Authority (SEIAA) office.</p>	<p>Complying with. During the site inspection, it was observed that PP submitted the latest six-monthly compliance report to Regional Office vide letter dated 24.05.2024. It was also observed that copies of EC and latest six-monthly compliance report were uploaded to project website.</p>
38.	<p>The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times NewRoman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.</p>	<p>Complying with. During the site inspection, it was observed that EC details were displayed at the project site.</p> 

A. Anand

39.	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	<p>Complied.</p> <p>Based on the information provided, it was observed that PP submitted the notarised affidavit dated 28.03.2017 to SEIAA.</p> 
40.	No change in mining technology and scope of working should be made without prior approval of the SEIAA. No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	<p>PP agreed upon.</p> <p>During the site inspection, it was observed that the quarry operations were carried out in open cast mining involving drilling, blasting, etc.</p>
41.	The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	<p>PP agreed upon.</p> <p>During the site inspection, no natural water course was observed within the lease area.</p>
42.	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places of loading and unloading points & transfer point to reduce fugitive emissions.	<p>Complying with.</p> <p>During the site inspection, it was observed that ambient air quality was monitored through MoEF&CC recognised laboratory. As per the monitoring data (December 2023):</p> <ul style="list-style-type: none"> • PM₁₀ levels found to be 55.2 ug/m³ • PM_{2.5} levels found to be 21.4 ug/m³

A. Suresh Kumar

		Water sprinkling arrangements were made at the project for suppressing the dust.
43.	<p>The topsoil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation. The OB generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.</p>	<p>PP agreed to comply with.</p> <p>During the site inspection, it was observed that there is no active overburden dump. The old dump was stabilised with plantation.</p>
44.	<p>Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral, and OBdumps to prevent run off water and flow of sediments directly into the river and other water bodies. The water collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.</p> 	<p>Complying with.</p> <p>During the site inspection, it was observed that garland drains with silt traps were provided for arresting the silt flowing with surface run off. The rain water is collected in the 3 rain water harvesting pits (siltation ponds) provided in the project area. Catch drains were also provided in the project area. The collected water is used for quarry operations and plantation.</p>

A. Inada

45.	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to airpollution and having high levels of PM10 and PM2.5 such as haul Road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Complying with. During the site inspection, it was observed that mist spray system and fixed & mobile sprinklers were provided at different locations such as loading & unloading and haul roads, etc. for the suppression of fugitive emissions. The particulate matter levels found to be confirming to the National Ambient Air Quality Standards prescribed by CPCB.
46.	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading, and unloading and at transfer points should be provided and properly maintained.	
47.	Measures should be taken for control of noise levels below 85 dBA in the work environment.	Compliance is already provided under general condition no. 11.
48.	A separate environment management cell with suitable qualified personnel should be setup under the control of a Senior Executive who will report directly to the Head of the Organisation.	Compliance to this condition is already provided under general condition no.2.
49.	The funds earmarked for environmental protection measures and CSR activate should be kept in separate accounts and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	Complying with. Based on the information provided, it was observed that every year funds are earmarked for CSR activities and environment protection works separately. The year wise expenditure of CSR activities was reported through six monthly compliance reports.
50.	The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project Authorities should extend full cooperation to the officer (S) of the	PP agreed upon.

A. hush


	Regional Office byfurnishing the requisite data/ information /monitoring reports.	
51.	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the NGT Act, 2010.	As per the records available with this office, no appeal was filed against this environmental clearance.
52.	Concealing the factual data or submission of false fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal ofthis clearance and attract action under the provisions of E(P) Act, 1986.	PP agreed upon.
53.	The SEIAA may revoke or suspend the order for non-implementation of any of the specific or the implementation of any of the above condition is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	PP agreed upon.
54.	The above conditions shall prevail not withstanding anything to the contrary, in consistent, or simplified,contained in any other permit license on the consentgiven by any other authority for the same project.	PP agreed upon.
55.	This order is valid for a period of five years or the expiry of mining lease period issued by the Government of Kerala, whichever is earlier.	PP agreed upon. With one year zero period granted by Ministry w.r.t. Covid period, the validity of EC expired on 01.02.2024. The High Court of Kerala, Ernakulam Bench vide order dated 16.03.2023 directed the Geologist, Department of Mining & Geology to issue Movement Permit to the Petitioner under Rule 25 of the Kerala Minerals

A. Anish Kumar

	<p style="text-align: center;"> AMU SIVARAMAN, J. S.P. (C) No. 6224 of 2022 Dated, this 19th March, 2022 S. P. O. S. R. </p> <p> 2. The learned JUDGE issued order for SSE respondents. Learned Standing Counsel takes notice for 2nd respondents. The learned Government Pleader takes notice for respondents 3 and 4. There will be no further direction to the 2nd respondents to issue consent letter to the petitioner under S.O. No. 1807(E) of the Ministry of Environment, Forest and Climate Change, extending the benefit of the notification under S.O.No.1807(E) dated 12.04.2022 of the Ministry of Environment, Forest and Climate Change, provisionally and pending further orders of the writ petition. Notwithstanding to say, they will be subject to the availability of project life and activities </p>	<p>Prevention of Illegal Mining, Storage and Transportation) Rules, 2015, extending the benefit of the notification under S.O.No.1807(E) dated 12.04.2022 of the Ministry of Environment, Forest and Climate Change, provisionally and pending further orders in the writ petition.</p> <p>The Ministry vide notification dated 12.04.2022 amended the validity clause of environmental clearance issued for mining projects as per the following: <i>"The prior Environmental Clearance granted for mining projects shall be valid for the project life as laid down in the mining plan approved and renewed by competent authority, from time to time, subject to a maximum of thirty years, whichever is earlier".</i></p> <p>As per the approved (by the Department of Mining & Geology, Kannur District vide letter dated 18.07.2017) mining plan, the life of project is for 12 years.</p>
56.	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	PP agreed upon.
57.	The mining operation shall be restricted to above ground water table, and it should not intersect ground water table.	<p>Complying with.</p> <p>During the site inspection, it was observed that ground water table was not intersected by quarry operations.</p>
58.	All vehicles used for transportation and	Complying with.

A. Anand Kumar

	<p>within the mines shall have 'PUC certificate from authorized pollution testing center. Washing of all vehicles shall be inside the lease area.</p> 	<p>During the site inspection, it was observed that the PUC of the vehicles entering the project area is checked by the security personnel deployed at the entrance gate. It was also informed that the vehicles are maintained by external vendors and hence no washing is done at the project site.</p>
59.	<p>Project proponent should obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and ground water for the project.</p>	<p>PP agreed upon. During the site inspection, it was observed that water collected in rain water harvesting pits and quarry pit is utilised for operations.</p>
60.	<p>Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA.</p>	<p>PP agreed upon. During the site inspection, no springs and perennial nallahs were observed within the lease area/nearby to the project area.</p>
61.	<p>Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and corrective measures, if needed.</p>	<p>Complying with. During the site inspection, it was observed that medical checkup of the employees is carried out once in a year. The last checkup was conducted on 16.08.2024 for 30 persons.</p>


 A. Anshu Kumar
 Scientist
 Deputy Regional Director (S)
 Ministry of Environment, Forest & Climate Change
 Integrated Regional Office
 Kendriya Sadan, Koramangala
 Bengaluru - 560034