

ENVIRONMENT CLEARANCE COMPLIANCE REPORT

October 2021- March 2022

For

GRANITE BUILDING STONE QUARRY (Minor Mineral)

Extent: 9.6828 Ha

At

Sy . Nos. : 366/1, 367/1, 367/1, 368, 369/1,
382/1, 382/2, 383/1, 383/2, 387/3,
384/1, 384/1, 382/3, 382/3, 387/2

Village : Peringome

Taluk : Thaliparamba

District :Kannur

State : Kerala,

**'Granite Building Stone Quarry Project of
M/s. Jas Granite Aggregates Pvt. Ltd.'**

File NO. 1148/EC/SEIAA/KL/2017

Dated 02/02/2018

To,

Date: 30.05.2022

The Deputy Director General of Forests (c)

MoEF, Inetgrated Regional office Kedriya Sadan,
Koramangala, 4th Floor, E&F Wings, 17th Main Road,
Koramangala II Block, Bangalore - 560034

Sub: Environmental Clearance Compliance Report for the period October 2021 – March 2022 pertaining to Granite Building Stone Quarry of M/s. Jas Granite Aggregates Pvt. Ltd..

Ref: Environmental Clearance No: 10/2018 dated: 02/02/2018.

Respected Sir,


As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from October 2021 to March 2022 of the EC Granted to 'Granite Building Stone Quarry of M/s. Jas Granite Aggregates Pvt Ltd.' by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order.

Thanking you,

Yours truly,

For '**Granite Building Stone Quarry of M/s. Jas Granite Aggregates Pvt Ltd.**



Mr. Antony S Alukkal.
(Managing Director)

Encl: as above

Cc: The Member Secretary

State Environment Impact Assessment Authority (SEIAA)

Directorate of Environment & Climate Change

4th Floor, KSTRC Bus Terminal,

Thampanoor, Kerala-01

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

Introduction

Mr. Antony S. Alukkal, Managing Director of M/s. Jas Granites Aggregates Pvt. Ltd., Madakampoil, Peringome P.O., Thaliparamba Taluk, Kannur District, Kerala-670354 has been granted for a mining lease to quarry Granite Building Stone over an area of 9.6828 Ha. at Sy. Nos. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3, 387/2 at Peringome Village, Thaliparamba Taluk, Kannur District, Kerala State.

The Environmental clearance is also obtained for this mining lease vide letter no 10/2018 Dated: 02/02/2018, for a maximum production of 2,81,000 MTA

This granite building stone quarry is located at 7.0 Kms from Peringome Village in Thaliparamba Taluk. It is at a distance of 46.7 Kms by road from Kannur town. It can be reached from Mathamangalam - Peringome Road.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.
Description of the project

File No.	:	1148/EC/SEIAA/KL/2017
Name of the project	:	Granite Building Stone Quarry (Minor Mineral) of M/s. Jas Granite Aggregates Pvt. Ltd.
District and state	:	Kannur, Kerala
Taluk / Mandal	:	Thaliparamba
Village	:	Periogome
Khasara No. / Plot No. / Block / Gate No. etc.,	:	366/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 382/3 & 387/2,
Extent of Area	:	9.6828 Ha
Ownership / Occupancy	:	Private Land
Existence of public road/railway line, if any, nearby and approximate distance Nearest Port / Airport	:	The nearest railhead – Payyanoor (27 Kms) and Nearest Airport – Kannur Airport (61 Kms) from the mine.
Latitude & Longitude	:	N12°11'56.19" to N12°12'13.88" E75°20'03.85" to E75°20'19.47"
Address of Registered office	:	Shri. Antony S. Alukkal, Managing Director, M/s. Jas Granite Aggregates Private Limited, Madakkampoyil, Peringome -Post, Kannur District, Kerala – 670 384, Ph No.: +91 9387968409.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.
 Compliance Status of the General Conditions for Mining Projects Laid down by the
 District Environment Impact Assessment Authority, Kerala vide their Environment
 Clearance No.10/2018 Dated:02/02/2018

Part A – Specific Conditions

1	The storm water draining from the site should be properly collected and treated. It should be either conserved properly at the site or allowed to discharge only after settling.	Noted
---	--	-------

Compliance:

Silt Settling Tank construction is in progress for de-silting the storm water. Water from the Silt Settling Tank will be diverted to Rain Water Harvesting pond.

2	The top soil and overburden should be collected and staked properly.	Complied
---	--	----------

Compliance:

The top soil and overburden are stalked and kept in the designated places.

3	Road should be constructed/ modified leading to the site	Complied
---	--	----------

Compliance:

Access road to the Quarry is tarred to contain dust emission. Sprinklers and Water tanker with sprinklers is used to suppress the dust. Photos are attached as **Annexure-6 & 7.**

4	Protective fencing and signboards have to be provided around the site.	Complied
---	--	----------

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

Compliance:

Barbed wired protective fencing and signboards were provided around the site. Photos of barbed wire fencing and Sign Boards are attached **Annexure-1 & 3**

5	Benches should be provided for the proposed quarry.	Noted
---	---	-------

Compliance:

Quarrying is carried out as per approved mining plan. Construction of Benches are in progress.

6	If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area.	Complied
---	--	----------

Compliance:

No rare or endemic and threatened plant species were present at the site.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

Part B – General Conditions

1	Rainwater harvesting facility should be installed as per prevailing provisions of KMBR/KPBR, unless otherwise specified.	Complied
---	--	----------

Compliance:

Rainwater harvesting is a technically feasible solution for overcoming the problem of water scarcity in Mines. Rain water harvesting facility will be made and maintained. Photos are attached as **Annexure-4**

2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Complied
---	--	----------

Compliance:

Environment monitoring cell is formed & is made functional. The details of Environmental monitoring cell are given in below table.

Sl No.	Name	Post
1	Head of Monitoring Cell	Antony S Alukkal
2	In charge	K V Sukumaran
3	Member	R Sivadasan
4	Member	O V Krishnan
5	Member	Janaradhnan T

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including approach roads and internal roads.	Complied
---	---	----------

Compliance:

Plantation has been done along the either side of the road, and other project area.

Photos are attached as **Annexure 3**.

4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Complied
---	--	----------

Compliance:

Solar Energy generation and utilization is adapted. Photos are attached as **Annexure 17**.

5	Sprinklers shall be installed and used in the Project Site to contain dust emissions.	Complied
---	---	----------

Compliance:

Sprinklers and Water Tankers with Sprinklers are used in project site to control dust emission. Photos are attached as **Annexure 6 & 7**.

6	Eco-restoration, including the Mine Closure Plan shall be done at the own cost of the Project Proponent.	Noted.
---	--	--------

Compliance:

Plantation of various saplings within the project area has been initiated. Photo of the plantation is enclosed as **Annexure-3**. The mine closure plan will be prepared as agreed by the project proponent.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

7	At least 10 per cent of total excavated Pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of the Pit is stipulated in the EC.	Agreed.
---	---	---------

Compliance:

During the Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with stacked dumping & overburden and indigenous plant species will be planted.

8	Corporate Social Responsibility (CSR) agreed upon by the Proponent should be implemented.	Complied
---	---	----------

Compliance:

Various CSR commitments agreed by the Project proponent is carried out. Details for CSR are attached as **Annexure 16**.

9	The Lease area shall be fenced off with barbed wires to a minimum height of 4 ft around, before starting of Mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Noted
---	--	-------

Compliance:

Lease area is fenced off with barbed wires. Different Sign boards have been installed at the site. Photos of fence are Attached as **Annexure 3**.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

10	Warning alarms indicating the time of Blasting (to be done at specific timings) has to be arranged as per stipulations of the Explosives department.	Complied
----	--	----------

Compliance:

Warning alarms indicating the time of blasting is arranged as per the stipulations. Necessary precautions while blasting are taken During Mining operations. Photo of Siren is Attached as **Annexure 8**.

11	Control measures on noise and vibrations prescribed by KSPCB should be implemented.	Complied
----	---	----------

Compliance:

Implementation of control measures during Mining operations by,

- Noise and vibration control measures is implemented by adapting controlled blasting.
- Use of sharp drilling bits, delivery of compressed air at optimal pressure. Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks.
- Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area.

Noise Monitoring photos are enclosed as **Annexure-12**.

12	Quarrying activities should be limited to daytime as per KSPCB guidelines/specific conditions.	Complied
----	--	----------

Compliance:

Quarrying activities are limited to daytime only as per KSPCB guidelines.

KSPCB License is enclosed as **Annexure 13**.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

13	Blasting should be done in a controlled manner as specified by the regulations of the Explosives department or any other concerned agency.	Complied
----	--	----------

Compliance:

Controlled blasting will be done as per regulations. Copy of the Explosive License is enclosed as **Annexure-14**.

14	A licensed person should supervise/control the Blasting Operations	Complied
----	--	----------

Compliance:

Blasting supervision/control is done by a Mining Official having DGMS Certificate.

15	Access roads to the quarry shall be tarred to contain dust emission that may arise during the transportation of material	Complied
----	--	----------

Compliance:

Access road to the Quarry is tarred to control dust emissions. Sprinklers and Water tanker with sprinklers are used to suppress the dust.

16	Overburden materials should be managed within the site and used for reclamation of Mine Pit as per Mine closure Plan/specific conditions	Complied
----	--	----------

Compliance:

Overburden material is stored in designated place & will be used for plantation, haulage road and land filling in the lease area.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

17	Height of Benches should not exceed 5 M and width should not be less than 5 M, if there is no mention in the Mining Plan/specific conditions	Noted
----	--	-------

Compliance:

The height of the benches will not exceed 5 metres, and the width will not be less than 5 metres, in order to ensure safety.

18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided	Agreed
----	---	--------

Compliance:

Mats will be laid on the top of the charged holes area to control fly rock and kept below 10ppv.

19	Maximum depth of mining and general groundlevel at site shall not exceed 10m	Agreed
----	--	--------

Compliance:

The mining process will be carried out following the Approved Mining Plan.

20	No Mining operations should be carried out at places having a slope greater than 45°	Agreed
----	--	--------

Compliance:

No Mining operations will be carried out at places having a slope greater than 45°.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow bricks envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Complied
----	--	----------

Compliance:

Acoustic enclosures are provided to reduce sound amplifications.

22	The workers on the site should be provided with the required protective equipment such as ear muffs helmet, etc.	Complied
----	--	----------

Compliance:

Requisite Personal Protective equipment (PPE's) are provided to all employees.

23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Complied
----	---	----------

Compliance:

Garland drains are constructed to channelize storm water. Photos are attached as **Annexure 10**.

24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Complied
----	--	----------

Compliance:

All trucks transporting material will be covered by firmly tied tarpaulin.

25	The proponent should plant trees at least 5 times the loss that has been occurred while clearing the land for the project.	Complied
----	--	----------

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

Compliance:

Plantations of about 5 times the loss that has been occurred while clearing the land will be done. Project proponent has planted beema bamboos at project site. Photo of the plantation along the haulage road is enclosed as **Annexure-3**.

26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Complied
----	--	----------

Compliance:

Spent oil is sold to the approved recyclers as specified under relevant Rules/Regulations. It is also used as a lubricant for drilling machines.

27	Explosives should be stored in magazines in isolated place specified and approved by the Explosive Department.	Complied
----	--	----------

Compliance:

Explosives are stored in a Licensed Explosives Magazine, which is approved by PESO. Photo of magazine is attached as **Annexure-9**.

28	A minimum buffer distance of 100 M from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	Complied
----	---	----------

Compliance:

No dwellings are situated within 100 M from the boundary of the quarry. Except the Project proponent's House which is at 83M also unoccupied.

29	100 M buffer distance should be maintained from forest boundaries	Considered
----	---	------------

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

Compliance:

Mining area is not located near any forest areas.

30	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Obtained
----	--	----------

Compliance:

Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the consent is attached as **Annexure-13**.

31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competitive authorities including that for blasting and storage of explosives.	Complied
----	--	----------

Compliance:

All required statutory clearances are obtained and is enclosed as **Annexure – 13, 14 & 15**.

32	In the case of any change(s) in the scope of the Project, extent, quantity, process of mining technology involved or in any way affecting the environment parameters/impacts as assessed, based on which only the EC is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	Noted
----	--	-------

Compliance:

There is no change in the scope of the project.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environmental Clearance under provisions of the Environment (Protection) Act,1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed.
34	The stipulations by the Statutory Authorities under different Acts and Notifications should be complied with including the provisions of the Water (Prevention and control of Pollution) Act,1974, the Air (Prevention and control of Pollution) Act,1981, the Environment (Protection) Act,1986, the Public Liability (Insurance) Act,1991 and EIA Notification,2006	Agreed

35	The project proponent should advertise in at least 2 newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the Project has been accorded Environment Clearance and the copies of the Clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org . The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same signed in all the pages should be forwarded to the Office of this Authority as confirmation	Complied
----	--	----------

Compliance:

Advertisements are given in local newspapers.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

36	A copy of the clearance letter shall be sent by the proponent to the concerned Gram Panchayat/District Panchayat/Municipality/Corporation/Urban local Body and also to the Local NGO, if any from whom suggestions/representations, if any were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.	Complied
----	---	----------

Compliance:

A copy of the Clearance is submitted to the Panchayat office. Copy of Panchayat license is attached as **Annexure-15**.

37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional office of the MOEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office	Complied
----	--	----------

Compliance:

Half yearly compliance reports are submitted as stipulated to State Environmental Impact Assessment Authority and the Regional Office of MoEF & CC, Bangalore. The monitored Photos and Report of Air, Noise and Water is attached as **Annexure 11 & 12**.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

38	The details of Environment Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times Roman font of size not less than 40. Sign board with extent of Lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public	Complied
----	---	----------

Compliance:

Details of Environmental Clearances is prominently displayed at the entrance to the Mine. Photo is attached as **Annexure 1**.

39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Complied
----	---	----------

Compliance:

Notarized affidavit is submitted.

40	No change in mining technology and scope of working should be made without prior approval of the SEIAA. No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Agreed
----	--	--------

Compliance:

Prior approval from the SEIAA will be sought in case of change of mining technology.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

41	The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	Complied
----	---	----------

Compliance:

No natural water course is obstructed. Necessary safeguard measures Shall be taken to protect first order streams if originating from the mining lease in the future.

42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	Complied
----	---	----------

Compliance:

Monitoring of Ambient Air Quality is carried out. Monitoring Photos & reports have been enclosed as **Annexure-11 & 12**. Water sprinkling with water tanker is being done at appropriate places. Photos are attached as **Annexure 6**.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

43	The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The Over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8 m and the width 20 m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo-textiles shall be undertaken for stabilization of the dump. The entire excavated area should continue until the vegetation becomes self- sustaining	Noted
----	--	-------

Compliance:

Available top soil will be stored in a designated place and will be used for Plantation. OB generated is stacked separately and will be covered with coir mats and vegetated with locally available shrubs and grasses. Photos of topsoil Dump is attached as **Annexure 2**.

44	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de silted particularly after monsoons and maintained properly	Being Complied
----	---	-------------------

Compliance:

Garland drains are constructed to channelize storm water. Water from the water from the drain is directed to the Rain Water Harvesting Pond. The water from

Compliance Report for the period of October 2021 – March 2022

Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

RWHP is utilized for watering the mine area, roads, green belt development etc. A Silt Settling Tank construction is in progress. The drains will be regularly de silted particularly after monsoons and maintained properly. Photos of RWHP & SST are attached as **Annexure 4 & 5**.

45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Complied
----	---	----------

Compliance:

Regular water sprinkling is done on all necessary roads with Sprinklers and Water tankers and sprinklers.

46	Fugitive dust emissions from all sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and transfer points should be provided and properly maintained.	Complied
----	---	----------

Compliance:

Fugitive dust emissions are controlled. Regular water sprinkling is done on haul roads, loading, unloading and transfer points with sprinklers and water tankers with sprinklers. Photos are attached as **Annexure 6 & 7**.

47	Measures should be taken for control of noise levels below 85 dB (A) in the work environment.	Complied
----	---	----------

Compliance:

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.
Adequate measures for noise control are adopted.

48	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior executive, who will report directly to the head of the Organization.	Complied
----	--	----------

Compliance:

An Environment Management Cell has been set up with Mr. Antony Alukkal as the head of the Cell.

49	The funds earmarked for environment protection measures and CSR activities should be kept in a separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	Noted
----	---	-------

Compliance:

The funds earmarked for environment protection measures and CSR activities will be kept in a separate account and will not be diverted for other purpose. Details of CSR are attached as **Annexure-16**.

50	The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports.	Agreed
----	---	--------

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

51	Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Agreed
52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986.	Agreed
53	The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of the environment protection	Agreed
54	The above conditions shall prevail notwithstanding anything to the contrary, inconsistent or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Agreed
55	The order is valid for a period of 5 years of the expiry date of Mine lease period issued by the Government of Kerala, whichever is earlier	Agreed

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

56	The Environment Clearance will be subject to the final order of the courts in any pending litigation related to the land or the project, in any court of law.	Agreed
----	---	--------

57	The Mining operations shall be restricted to above ground water table and it should not intersect ground water table.	Noted
----	---	-------

Compliance:

Mining operations will be restricted to above ground water table and due care will be taken so that mining does not intersect ground water table.

58	All vehicles used for transportation and within the mines shall have ‘PUC’ certificate from authorized pollution checking center. Washing of all vehicles shall be inside the Lease area	Complied
----	--	----------

Compliance:

It is ensured that all transportation vehicles have ‘PUC’ Certificate issued by an authorized Pollution checking center. All the vehicles will be washed inside the lease area.

59	Project proponent should obtain necessary prior permission of the competent authorities for drawl of necessary quantity of surface and ground water for the project.	Complied
----	--	----------

Compliance:

There is no need for Drawl of Surface and ground water for the project activities. A RWHP is made for collecting water.

Compliance Report for the period of October 2021 – March 2022
Granite Building Stone Quarry Project of M/s. Jas Granites Aggregates Pvt. Ltd.

60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA.	Noted
----	--	-------


Compliance:

No perennial nallah flows through the lease or exist around the Mine Lease.

61	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Noted
----	--	-------

Compliance:

Occupational health surveillance will be undertaken periodically.



For 'M/s Jas Granites Aggregates Pvt. Ltd.

Mr. Antony S Alukkal
(Managing Director)

Date: 30-05-2022

JAS GRANITE AGGREGATES. PVT.LTD
 MADAKKAMPOYIL, PERINGOME
 PAYYANNUR, KANNUR, KERALA-670353
 GST.No: 32AADCJ7206KIZO


Name of Licensee : **ANTONY.S.ALUKKAL**
 MANAGING DIRECTOR
 JAS GRANITE AGGREGATIES. PVT.LTD


LICENSE NO				
LICENSE	CRUSHER	VALIDITY UP TO	QUARRY	VALIDITY UP TO
PANCHAYATH GEOLOGY LEASE ORDER	B3/182/2019	27/02/2024	B3-192/2019 785/2017-18/5201/M3/2017/ DMG Dtd-23-02-2018	31-01-2023 28-02-2030
ENVIRONMENTAL CLEARANCE			1148/EC/SEIAA/KL/2017	01-02-2023
POLLUTION CONTROL BOARD	PCB/KNR/ICO-R/ 650/2018	30-06-2023	PCB/KNR/ICO-R/58/2018	31-01-2023
EXPLOSIVES-PESO			E/SC/KL/22/1568(E55061)	31-03-2023
FACTORIES AND BOILERS	N/TLP/02/945/2006	31/12/2023		





Topsoil Dump







Silt Settling Tank

Annexure 5







Siren

Annexure 8



Explosive Magazine

Annexure 9









GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSPET - 583201, Dist., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com,

Website : www.globalmining.in



GEMS-LD/TF/11/01

Date: 12.02.2022

Analysis Report of Ambient Air Quality Monitoring

1	Name of the Customer/Address	:	Granite Building Stone Quarry of 'Jas Granite Aggregates Pvt Ltd' Extent: 9.6828 Ha. Sy. No. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3, 387/2 Peringome Village, Thaliparamba taluk, Kannur District, Kerala State.
2	Sample Description	:	Ambient Air Quality Monitoring
3	Sample Collected By	:	GLOBAL Environment & Mining Services
4	Duration of the Monitoring	:	24 Hour of Sampling
5	Location of Monitoring	:	(A1) Core zone
6	Report No	:	ULR-TC532322000000856F

Result

Sl No.	Date	Parameters in $\mu\text{g}/\text{m}^3$				
		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Lead in PM
1	07.02.2022	54.5	23.4	17.5	13.1	BDL
NAAQ Standards 2009		100	60	80	80	1.0

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

SO2 - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0)

NO2 - IS 5182 (Part 6): 2006 (RA 2017) BDL (<<5.0)

Lead - IS 5182 (Part 22): 2004 (RA 2014)

BDL - Below Detectable Limit.

J.M.T.
Analyzed By
J.M. Thippeswamy
Chemist

R.K.R.
Authorized Signatory
K. Ramakrishna Reddy
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
 HOSPET – 583201, Dist., Bellary (Karnataka)
 Ph : +91 8394 229433 & 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in



GEMS-LD/TF/11/01
 Date: 12.02.2021

Analysis Report of Ambient Air Quality Monitoring


1	Name of the Customer/Address	:	Granite Building Stone Quarry of 'Jas Granite Aggregates Pvt Ltd' Extent: 9.6828 Ha. Sy. No. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3, 387/2 Peringome Village, Thaliparamba taluk, Kannur District, Kerala State.
2	Sample Description	:	Ambient Air Quality Monitoring
3	Sample Collected By	:	GLOBAL Environment & Mining Services
4	Duration of the Monitoring	:	24 Hour of Sampling
5	Location of Monitoring	:	(A2) Vayakara
6	Report No	:	ULR-TC53232200000857F

Result

Sl No.	Date	Parameters in $\mu\text{g}/\text{m}^3$				
		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Lead in PM
1	08.02.2022	49.1	22.0	16.5	12.3	BDL
NAAQ Standards 2009		100	60	80	80	1.0

Note: No Mining activities during the period of Monitoring.

- PM10** - IS 5182 (Part 23): 2006 (RA 2017)
- PM2.5** - USEPA 2001
- SO2** - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0)
- NO2** - IS 5182 (Part 6): 2006 (RA 2017) BDL (<<5.0)
- Lead** - IS 5182 (Part 22): 2004 (RA 2014)
- BDL** - Below Detectable Limit.


Analyzed By
 J.M. Thippeswamy
 Chemist


Authorized Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
 HOSPET – 583201, Dist., Bellary (Karnataka)
 Ph : +91 8394 229433 & 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in



GEMS-LD/TF/11/01
 Date: 12.02.2021

TEST REPORT OF AMBIENT NOISE LEVEL MONITORING

- Granite Building Stone Quarry of
'Jas Granite Aggregates Pvt Ltd'
 Extent: 9.6828 Ha.
- 1 Name of the Customer/Address : Sy. No. 366/1, 367/1, 367/1, 368, 369/1, 382/1,
 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3,
 382/3, 387/2
 Peringome Village, Thaliparamba taluk,
 Kannur District, Kerala State.
- 2 Sample Description : **Ambient Noise Level monitoring**
- 3 Sample Collected By : GLOBAL Environment & Mining Services
- 4 Particulars of Sample Collected : Noise Level Meter (Equinox-107)
- 5 Duration of the Monitoring : 24 Hours Sampling
- 6 Date of Analysis Completion : 08.02.2022
- 7 Report No : ULR-TC532322000000858F

Result

Date	07.02.2022	08.02.2022
Name of the Location	Core Zone	Vayakara
Time (hrs)	N1	N2
6.00	38.3	41.8
7.00	42.5	44.2
8.00	44.8	45.9
9.00	45.5	47.8
10.00	50.9	51.6
11.00	57.5	52.8
12.00	53.7	55.5
13.00	52.7	51.7
14.00	53.4	52.1
15.00	54.7	53.7
16.00	53.8	54.9
17.00	51.1	50.4
18.00	50.3	51.2
19.00	49.4	50.9
20.00	46.9	48.1
21.00	44.8	46.6
22.00	44.2	45.8
23.00	39.9	41.1
00.00	39.4	40.2
01.00	38.5	39.5
02.00	37.5	38.1
03.00	36.7	37.8
04.00	35.7	36.6
05.00	36.8	38.7



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSPET – 583201, Dist., Bellary (Karnataka)
Ph : +91 8394 229433 & 295018
e-mail : gems_hpt@yahoo.com,
Website : www.globalmining.in



ULR-TC53232200000858F		
L max	57.5	55.5
L min	35.7	36.6
Ld	51.9	51.3
Ln	39.3	40.8
Ldn	51.1	51.3

Area Code	Category of Area	Limit in dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note	Day time shall mean from 6:00 am and 10.00 pm
	Night time shall mean from in between 10.00 pm and 5.00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relate to human being
	A "decibel" is a unit in which noise is measured
	"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
Leq: It is energy mean of the noise level over a specified period.	

Authorized Signatory
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
 HOSPET – 583201, Dist., Bellary (Karnataka)
 Ph : +91 8394 229433 & 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in



Ministry of Environment, Forest
and Climate Change

GEMS-LD/TF/11/01
Date: 12.02.2022

ANALYSIS REPORT OF WATER QUALITY DATA

1	Name of the Customer/Address	:	Granite Building Stone Quarry of 'Jas Granite Aggregates Pvt Ltd' Extent: 9.6828 Ha. Sy. No. 366/1, 367/1, 367/1, 368, 369/1, 382/1, 382/2, 383/1, 383/2, 387/3, 384/1, 384/1, 382/3, 382/3, 387/2 Peringome Village, Thaliparamba taluk, Kannur District, Kerala State.
2	Sample Collected By	:	GLOBAL Environment & Mining Services
3	Sampling Method	:	Grab Sample
4	Date of sample collection	:	07.02.2022
5	Date of sample Received	:	10.02.2022
6	Date of sample Analyzed	:	11.02.2022
7	Report Number	:	ULR-TC532322000000859F

Result

Sl. No.	Parameters	Unit	Result	Test Protocol	Requirement/Limit IS : 10500 : 2012	
					Acceptable	Permissible
1.	pH	-	7.40	APHA 22 nd Edition 2012 4500 B (Pg No. 4-92 to 4-96)	6.5	8.5
2.	Colour*	Hazen	<5	IS: 3025 (PART 14)- 1984, RA- 2012 Platinum cobalt Method	5	15
3.	Taste*	-	Ag	IS 3025 Part 8 1984	Ag	Ag
4.	Odour*	-	Ag	IS: 3025 (Part 5)– 1983, Ra-2012, True Odour	Ag	Ag
5.	Turbidity	NTU	0.85	APHA 22 nd Edition 2012 2130 B (Pg No. 2-14)	1	5
6.	Conductivity	µS/cm	172	APHA 22 nd Edition 2012 2510 B (Pg No. 2-54)	-	-
7.	Total Dissolved Solids	mg/L	159	APHA 22 nd Edition 2012 2540 B (Pg No. 2-65)	500	2000
8.	Total Alkalinity as CaCO ₃	mg/L	68	APHA 22 nd Edition 2012 2320 B (Pg No. 2-35)	200	600
9.	Total Hardness as CaCO ₃	mg/L	104	APHA 22 nd Edition 2012 2340 C (Pg No. 2-46)	200	600
10.	Calcium as Ca	mg/L	61	APHA 22 nd Edition 2012 3500 Ca B (Pg No. 3-84)	75	200
11.	Magnesium as Mg	mg/L	10.8	APHA 22 nd Edition 2012 3500 B-Mg By Calculation	30	100
12.	Chloride as Cl	mg/L	25.4	APHA 22 nd Edition 2012 4500 Cl (Pg No. 4-72)	250	1000
13.	Sulphate as SO ₄	mg/L	28	APHA 22 nd Edition 2012 4500 SO ₄ 2 – E (Pg No. 4-190)	200	400
14.	Nitrates as NO ₃	mg/L	10.1	APHA 23 rd Edition - 4500 NO ₃ – E (Pg No. 4-131 to 4-132)	45	NR
14.	Nitrate Nitrogen as NO ₃	mg/L	32	APHA 22 nd Edition 2012 4500 NO ₃ E (Pg No. 4-125 to 4-127)	45	No relaxation

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
HOSPET – 583201, Dist., Bellary (Karnataka)
 Ph : +91 8394 229433 & 295018
 e-mail : gems_hpt@yahoo.com,
 Website : www.globalmining.in




ULR-TC532322000000859F

15.	Fluoride as F	mg/L	0.75	APHA 23 rd Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	1.0	1.5
16.	Iron as Fe	mg/L	0.33	APHA 23 rd Edition – 3500 Fe-B (Pg No. 3-80 to 3-82)	0.3	NR
17.	Sodium as Na	mg/L	8.2	APHA 23 rd Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	-	-
18.	Potassium as K	mg/L	0.72	APHA 23 rd Edition 3500 K B (Pg No. 3-89 to 3-90)	-	-
19.	BOD 3 days at 27° C	mg/L	NIL	IS:3025 (P.44) – 1993 , RA-2014,	-	-
20.	COD as O2	mg/L	NIL	APHA 23 rd Edition 5220 C (Pg No. 5-18 to 5-19)	-	-
21.	Oil & Grease	mg/L	NIL	APHA 23 rd Edition 5520 B (Pg No.5-41 to 5-42)	0.5	NR
22.	Cadmium as Cd*	mg/L	<0.001	APHA 23 RD Edition-3111 –B (Pg No.3-20 to 3-21)	0.003	NR
23.	Copper as Cu	mg/L	<0.001	APHA-23 RD Edition 3111-B (Pg No.3-20 to 3-21)	0.02	1.5
24.	Nickel as Ni	mg/L	<0.001	APHA-23 RD Edition-3111 –B (Pg No. 3-20 to 3-21)	0.02	NR
25.	Zinc as Zn	mg/L	<0.1	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	5	15
26.	Salinity*	PPT	NIL	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	-	-
27.	Total Phosphorous	mg/L	<0.01	APHA-23 RD Edition 4500-D (Pg No. 4-154)	-	-
28.	Total Coliforms* -	MPN/100ml	Ab	APHA 22 nd Edition 9222 B (Pg No.9-78)	-	-
29.	Feecal Coliforms	MPN/100ml	Ab	APHA 22 nd Edition 9222 D (Pg No.9-85)	-	-
30.	Phyto Plankton*	Unit/L	Ab	APHA 23 rd Edition 10200 F (Pg No.10-17)	-	-

Note: BDL Below Detectable Limit
 Ag: Agreeable
 NR: No Relaxation
 RA: reaffirmed
 Ab: Absent

****End of report****


Analyzed By
 Chemist


Authorized Signatory
 Technical Manager



- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/KNR/ICO/446/2012

Date of issue :06/02/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/KNR/ICO-R/58/2018

Ref : 1. Consent no. PCB/KNR/ICO-R/699/2015 dated 21/11/2015

2. Your application dated 10/01/2018

The 'Integrated Consent to Operate' issued as per reference above to M/s QUARRY OWNED BY SAJI KAVALAM, MIRAMERE, BURNASSERY P. O., KANNUR - 670001 is hereby renewed up to 31/01/2023 and issued to M/s JAS GRANITE AGGREGATES (P) LTD., MADAKKAMPOYIL, PERINGOME P. O., KANNUR The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	1.1 VALIDITY	31/01/2023
2	1.12 ANNUAL FEE	Rs. 7100/-
3	1.2 NAME AND ADDRESS OF THE ESTABLISHMENT	JAS GRANITE AGGREGATES (P) LTD., MADAKKAMPOYIL, PERINGOME P. O., KANNUR
4	1.4 OCCUPIER DETAILS	ANTONY S. ALUKKAL, JAS GRANITE AGGREGATES (P) LTD, MADAKKAMPOYIL, PERINGOME(PO), KANNUR - 670353
5	1.5 SURVEY NUMBER	366/1,367/1,367/1,368,369/1,382/1,382/2,383/ 1,383/2,387/3,384/1,384/1,382/3,382/3,387/2
6	1.16 ACTIVITY	QUARRYING IN 9.6828 HECTARES OF LAND
7	1.13 FEE REMITTED	Rs. 35500/-
8	1.14 CAPITAL INVESTMENT	30 LAKHS

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

2.2 This consent is valid upto 31/01/2023. For continuing to operate beyond the validity date application for the renewal has to be submitted through online (website: krocmmms.nic.in) before 31/10/2022.

2.6 DELETED

3.2 DELETED

3.3 DELETED

4.1 DELETED

4.3 DELETED

4.4 DELETED

4.5 DELETED

4.6 There shall be a minimum distance of 50 m from the boundary of the quarry to the nearest residence, places of worship, railway line, bridge, water body, public building and public road having vehicular traffic.

4.9 Location and extent of quarry shall be as per the approved site plan attached.

4.11 DELETED

4.12 DELETED

4.13 DELETED

4.14 DELETED

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

KRISHNAN M N

Digitally signed by KRISHNAN M N
Date: 2018.02.06 13:18:20 +05'30'

DATE :06/02/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER



To

ANTONY S. ALUKKAL, JAS GRANITE AGGREGATES (P) LTD, MADAKKAMPOYIL,
PERINGOME(PO), KANNUR - 670353

- 1. This digitally signed document is legally valid as per the Information Technology Act 2000**
2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

अनुमति प्रारूप एन. ई.-3 | LICENCE FORM LE-3
 (विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए)
 (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)
 (ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी कैरिज में वर्ग 6 के विस्फोटक रखने के लिए अनुमति
 Licence to possess (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine



अनुमति नं. (Licence No.) : E/SC/KL/22/1568(E55061)
 वार्षिक फीस (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Sh. Antony Sani Alakkal, Managing Director (अधिकारी/ Occupier) : Sh. Antony Sani Alakkal, Managing Director, M/s. Jas Granite Aggregates (P) Ltd, Madakkampavil P.O. Peringom Town/Village - Madakkampavil, District-KANNUR, State-Kerala, Pincode - 670354

को अनुमति अनुमति की जाती है।

2. अनुमतिधारी की प्रकृति (Status of licensee) : Company

3. अनुमति निम्नलिखित उद्देश्यों के लिए जारी किया गया है।

: possess for use of Nitrate Mixture, Safety Fuse, Detonators, - के उपयोग के लिए

Licence is valid only for the following purpose

4. अनुमति विस्फोटकों के निम्नलिखित विधियों, प्रकार और मात्रा के लिए विहित है।

Licence is valid for the following kinds and quantity of explosives. -- (*) (a)

Sr. No	Name and Description	Class & Division	Sub-division	मात्रा किसी एक समय में Quantity at any one time
1	Nitrate Mixture	2, 0	0	150 Kgs
2	Safety Fuse	6, 1	0	1500 Mtrs
3	Detonators	6, 3	0	3000 Nos.

(घ) किसी एक बड़े मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ब) और (ग) के अधीन अनुमति के लिए]

10 times as above.

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (g)]

5. निम्नलिखित रेखाचित्र (ड्राइंग) से अनुमति धारक की पुष्टि होती है।

ड्राइंग नं. (Drawing No.) E/SC/KL/22/1568(E55061)

The licensed premises shall conform to the following drawing(s).

दिनांक (Dated) 19/02/2018

6. अनुमति धारक निम्नलिखित को पता देता है। The licensed premises are situated at following address:

Survey No. R.S.No.384/3, ग्राम (Town/Village) : Peringom village, Taliparamba Taluk, Kannur Distr
 जिला (District) KANNUR राज्य (State) Kerala पिनकोड (Pincode) पुलिस थाना (Police Station) : Peringom
 दूरभाष (Phone) ई. मेल (E-Mail) फैक्स (Fax) 670354

7. अनुमति धारक में निम्नलिखित सुविधाएं शामिल हैं।

: two mini magazines of stone masonry construction

The licensed premises consist of following facilities

8. अनुमति धारक - समय पर संशोधित विस्फोटक अधिनियम, 1884 और उसके अधीन विधित विस्फोटक नियम, 2004 के प्रवृत्तियों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित प्रावधानों के अधीन रहे हुए अनुमति की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. ड्राइंग नं. 5 में बताई गई रेखाचित्र (स्थान, स्तंभोपस्थापना संबंधी और अन्य विवरण) दर्शाए गए हैं।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
2. अनुमति धारक को अलग-अलग रूप से अनुमति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.
3. सूची नं. DE-2 | Distance Form DE-2

9. यह अनुमति तारीख 31 मार्च 2018 तक वैध रहेगी। This licence shall remain valid till 31st day of March 2018.

यदि अनुमति, अधिनियम या इसके अधीन विधित विस्फोटक अधिनियम, 1884 के अधीन रहे हुए अनुमति की शर्तों और अतिरिक्त शर्तों और निम्नलिखित प्रावधानों के अधीन रहे हुए अनुमति की जाती है।
 This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 10/06/2013

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
 South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 19/02/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 19/02/2018

Transfers :

- Change in Licensee Name/Address/Status dated : 05/02/2018

नवीनीकरण के लिए स्थान
 Space for Endorsement of Renewal

नवीनीकरण की तारीख
 Date of Renewal

समाप्ति की तारीख
 Date of Expiry


अनुमति प्राधिकारी के हस्ताक्षर और मुद्रा
 Signature of licensing authority and stamp

19/02/2018

31/03/2023

Sd/-
 Jt. Chief Controller of Explosives, South Circle, Chennai

सावधानी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुुरुपयोग विधि के अधीन गंभीर दंडित अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.




നമ്പർ ബി3-192/2019

പെരിങ്ങോം വയക്കര ഗ്രാമ പഞ്ചായത്ത്

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകൾ പ്രകാരവും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു കൊടുത്ത

ലൈസൻസ്

ലൈസൻസുടമസ്ഥന്റെ പേരും മേൽവിലാസവും	ആന്റണി എസ് ആലുക്കൽ ,മാനേജിംഗ് ഡയറക്ടർ ജാസ് ഗ്രാനൈറ്റ് അഗ്രഗേറ്റർസ് പ്രൈവറ്റ് ലിമിറ്റഡ് മടക്കാംപൊയിൽ,പെരിങ്ങോം പി.ഒ
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	ജാസ് ഗ്രാനൈറ്റ് അഗ്രഗേറ്റർസ് പ്രൈവറ്റ് ലിമിറ്റഡ് മടക്കാംപൊയിൽ, പെരിങ്ങോം പി.ഒ
എന്താവശ്യത്തിന് ലൈസൻസ് അനുവദിച്ചു എന്ന്	കരിങ്കൽ ക്വാറി നടത്തുന്നതിന്
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡും നമ്പരും	തളിപ്പറമ്പ് താലൂക്ക് ,പെരിങ്ങോം വില്ലേജ് റീ സർവ്വെ നമ്പർ 366/1,367/1,368,369/1,382/1,382/2,383/1,383/2 ,387/3,384/1,382/3,387/2
ലൈസൻസിന്റെ കാലാവധി	31/01/2023
ലൈസൻസ് ഫീസ്	60000/ രൂപ
റിമാർക്സ്	118040106446 , 118040106447- 28/03/2019, ഹാജരാക്കിയ അനുമതി പത്രത്തിലെ വ്യവസ്ഥകൾ ലംഘിക്കുന്ന പക്ഷം ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.



Handwritten signature and official stamp of the Panchayat.


CSR Details

Annexure 16

Date	Activity	Beneficiary	Amount
04-Oct-21	Medical Help	Unnikrishnan Pp	₹ 20,000.00
04-Oct-21	Medical Treatment	Muhammed Nisar Pc	₹ 19,420.00
05-Oct-21	Medical Treatment	Amaya Medical Institute	₹ 6,940.00
08-Oct-21	Medical Treatment	Amjith Cr	₹ 13,846.00
13-Oct-21	Medical Treatment	Suresh M	₹ 16,041.00
14-Oct-21	Medical Help	Siba Palaka	₹ 10,000.00
15-Oct-21	Medical Treatment	Kahm Hospital	₹ 29,200.00
26-Oct-21	Medical Treatment	Sarama Jose	₹ 20,000.00
30-Oct-21	Medical Treatment	Suresh M	₹ 9,796.00
31-Oct-21	House Constrution	Rafeek P	₹ 30,515.00
04-Nov-21	Medical Treatment	Muhammed Nisar Pc	₹ 19,420.00
07-Nov-21	House Constrution	Pradeep	₹ 13,200.00
07-Nov-21	Charity	Santhosh	₹ 3,000.00
10-Nov-21	School Maintance	Ghss Vayakkara	₹ 13,093.00
17-Nov-21	School Maintance	Ghss Vayakkara	₹ 5,024.00
20-Nov-21	Mosque Maintance	Jamaath Committee	₹ 4,851.00
24-Nov-21	Marriage Welfare	Abdul Razzaq	₹ 25,000.00
27-Nov-21	Education Help	Sahanaj	₹ 20,000.00
27-Nov-21	Charity	Kp Sunil Kumar	₹ 9,693.00
04-Dec-21	Medical Treatment	Philomina Thomas	₹ 10,000.00
05-Dec-21	Medical Treatment	Muhammed Nisar Pc	₹ 19,420.00


M. UNNIKRIISHNAN
 PRESIDENT
 Mob: 9496049023
 Peringome Vayakkara Grama Panchayat

05-Dec-21	House Constrution	Sidhique S	₹ 3,591.00
14-Dec-21	Marriage Welfare	Nasira	₹ 25,000.00
14-Dec-21	Charity	Subash	₹ 2,000.00
14-Dec-21	Charity	Aiyyappan	₹ 5,000.00
21-Dec-21	Charity	Sarath	₹ 9,320.00
22-Dec-21	Education Help	Donna Kuriakose	₹ 20,000.00
22-Dec-21	Medical Treatment	Shinda Thomas	₹ 15,000.00
24-Dec-21	Medical Treatment	Philomina Thomas	₹ 15,000.00
24-Dec-21	Medical Treatment	Sarama Jose	₹ 20,000.00
27-Dec-21	Medical	Madhu T	₹ 4,331.00
29-Dec-21	House Constrution	Sidhique S	₹ 3,591.00
29-Dec-21	House Constrution	Janaki	₹ 1,995.00
29-Dec-21	Mosque Maintance	Perigome Juma Musjid	₹ 5,746.00
01-Jan-22	Maintance	Library	₹ 658.00
01-Jan-22	Medical Help	Rajilesh Sb	₹ 10,000.00
03-Jan-22	Charity	Uvais	₹ 1,000.00
04-Jan-22	Medical Treatment	Muhammed Niasr Pc	₹ 19,420.00
12-Jan-22	Charity	Madhu Mohan	₹ 5,000.00
14-Jan-22	Medical Treatment	Sujith Tv	₹ 8,000.00
24-Jan-22	Agriculture Help	Abhiram Tp	₹ 22,050.00
24-Jan-22	Agriculture Help	Hakeem	₹ 22,000.00
25-Jan-22	House Constrution	Jini	₹ 1,77,017.00
25-Jan-22	Charity	Prajil Kumar	₹ 4,000.00
27-Jan-22	House Constrution	Ameer Ali	₹ 29,000.00
27-Jan-22	Medical Help	Sareena Kp	₹ 25,000.00
29-Jan-22	Charity	Sujeesh T	₹ 2,000.00


M. UNNIKRISHNAN
 PRESIDENT
 Mob: 9496049023
 Peringome Vayakkara Grama Panchayat

31-Jan-22	Marriage Welfare	Muhammed Rahil	₹ 20,000.00
01-Feb-22	Charity	Manju	₹ 4,000.00
02-Feb-22	House Constrution	Khadhija M	₹ 3,728.00
04-Feb-22	Medical Treatment	Sarama Jose	₹ 29,000.00
04-Feb-22	Medical Treatment	Muhammed Nizar Pc	₹ 19,420.00
14-Feb-22	Medical Help	Soumya	₹ 10,000.00
14-Feb-22	House Constrution	Veena	₹ 25,000.00
19-Feb-22	Medical Help	Kumaran K	₹ 13,000.00
22-Feb-22	House Constrution	Mahadevan Unnithan	₹ 1,00,000.00
22-Feb-22	Medical Help	Soumya	₹ 10,000.00
23-Feb-22	Medical Help	Sareena Kp	₹ 14,000.00
24-Feb-22	Charity	Rahees K	₹ 2,700.00
05-Mar-22	Medical Treatment	Mohammed Nisar Pc	₹ 19,420.00
07-Mar-22	Medical Treatment	Sarama Jose	₹ 29,000.00
09-Mar-22	Education Help	Aswana	₹ 19,000.00
11-Mar-22	Education Help	Philomina Thomas	₹ 10,000.00
17-Mar-22	Marriage Welfare	Rajani Rk	₹ 15,000.00
25-Mar-22	Well Construction	Babu R Pillai	₹ 25,000.00

₹ 11,42,446.00

I Certified that the above contents are true in my belief and knowledge.

V.M. UNNIKISHNAN
PRESIDENT
Mob: 9496049023
Peringome Vayakkara Grama Panchayat


V.M. UNNIKISHNAN
PRESIDENT
Mob: 9496049023
Peringome Vayakkara Grama Panchayat

